



**Safety Supplies** Proudly Made In USA



**Safety** begins with us

## Reliance Ironman Lite Harness, Back D-Ring



The Reliance Ironman™ Lite series is ideal for use in heavy construction, maintenance, and in harsh environments. It utilizes Polyester TattleTale® webbing, which has an interior ply of contrasting black “strength” yarns that increase webbing strength to 7,000 lbs (31kN) and instantly reveals cuts or abrasions.



- REL800000-A** Ironman Lite Harness, Back D-Ring, STD Size
- REL800100-A** Ironman Lite Harness, Back D-Ring, SM Size
- REL800400-A** Ironman Lite Harness, Back D-Ring, XL Size
- REL800500-A** Ironman Lite Harness, Back D-Ring, 2X Size
- REL800600-A** Ironman Lite Harness, Back D-Ring, Big Boy Size

## Reliance Ironman Lite Harness, Back/Shoulder D-Rings



The Reliance Ironman™ Lite series is ideal for use in heavy construction, maintenance, and in harsh environments. It utilizes Polyester TattleTale® webbing, which has an interior ply of contrasting black “strength” yarns that increase webbing strength to 7,000 lbs (31kN) and instantly reveals cuts or abrasions.



- REL804000-A** Ironman Lite Harness, Back/Shoulder D-Rings, STD Size
- REL804100-A** Ironman Lite Harness, Back/Shoulder D-Rings, SM Size
- REL804400-A** Ironman Lite Harness, Back/Shoulder D-Rings, XL Size
- REL804500-A** Ironman Lite Harness, Back/Shoulder D-Rings, 2X Size
- REL804600-A** Ironman Lite Harness, Back/Shoulder D-Rings, BB Size

## Reliance Ironman Lite Harness, Back/Side D-Rings



The Reliance Ironman™ Lite series is ideal for use in heavy construction, maintenance, and in harsh environments. It utilizes Polyester TattleTale® webbing, which has an interior ply of contrasting black “strength” yarns that increase webbing strength to 7,000 lbs (31kN) and instantly reveals cuts or abrasions.



- REL802000-A** Ironman Lite Harness, Back/Side D-Rings, STD Size
- REL802100-A** Ironman Lite Harness, Back/Side D-Rings, SM Size
- REL802400-A** Ironman Lite Harness, Back/Side D-Rings, XL Size
- REL802500-A** Ironman Lite Harness, Back/Side D-Rings, 2X Size
- REL802600-A** Ironman Lite Harness, Back/Side D-Rings, Big Boy Size

## Reliance Ironman Lite Harness, Sewn-In Belt & D-Ring Extender, Back D-Ring



The Reliance Ironman™ Lite series is ideal for use in heavy construction, maintenance, and in harsh environments. It utilizes Polyester TattleTale® webbing, which has an interior ply of contrasting black “strength” yarns that increase webbing strength to 7,000 lbs (31kN) and instantly reveals cuts or abrasions.



- REL800000-AC** Ironman Lite Harness, D-Ring Extender, STD Size
- REL800100-AC** Ironman Lite Harness, D-Ring Extender, SM Size
- REL800400-AC** Ironman Lite Harness, D-Ring Extender, XL Size
- REL800500-AC** Ironman Lite Harness, D-Ring Extender, 2X Size
- REL800600-AC** Ironman Lite Harness, D-Ring Extender, Big Boy Size

## Reliance Ironman Lite Harness, Back/Chest/Side D-Rings



The Reliance Ironman™ Lite series is ideal for use in heavy construction, maintenance, and in harsh environments. It utilizes Polyester TattleTale® webbing, which has an interior ply of contrasting black “strength” yarns that increase webbing strength to 7,000 lbs (31kN) and instantly reveals cuts or abrasions.



- REL803000-A** Ironman Lite Harness, Back/Chest/Side D-Rings, STD Size
- REL803100-A** Ironman Lite Harness, Back/Chest/Side D-Rings, SM Size
- REL803400-A** Ironman Lite Harness, Back/Chest/Side D-Rings, XL Size
- REL803500-A** Ironman Lite Harness, Back/Chest/Side D-Rings, 2X Size
- REL803600-A** Ironman Lite Harness, Back/Chest/Side D-Rings, BB Size

## Reliance Ironman Lite Harness, Removable Belt, Back/Side D-Rings



The Reliance Ironman™ Lite series is ideal for use in heavy construction, maintenance, and in harsh environments. It utilizes Polyester TattleTale® webbing, which has an interior ply of contrasting black “strength” yarns that increase webbing strength to 7,000 lbs (31kN) and instantly reveals cuts or abrasions.



- REL812000-A** Ironman Lite Harness, Removable Belt, STD Size
- REL812100-A** Ironman Lite Harness, Removable Belt, SM Size
- REL812400-A** Ironman Lite Harness, Removable Belt, XL Size
- REL812500-A** Ironman Lite Harness, Removable Belt, 2X Size
- REL812600-A** Ironman Lite Harness, Removable Belt, Big Boy Size



## Reliance A-Series Harness - 1 D-Ring with Tongue Buckle Leg Closure



Each harness features angled stitching for a “tailored” sub-pelvic fit, and the extra large back pad eliminates dangerous ‘D-ring Droop’. The extra thick woven (not sewn) seat webbing adds durability where most abrasion occurs.



- REL800000** A-Series Harness - 1 D-Ring, STD Size
- REL800100** A-Series Harness - 1 D-Ring, SM Size
- REL800400** A-Series Harness - 1 D-Ring, XL Size
- REL800500** A-Series Harness - 1 D-Ring, 2X Size
- REL800600** A-Series Harness - 1 D-Ring, Big Boy Size

## Reliance A-Series Harness - 1 D-Ring, with Pass Thru Leg Closure



Each harness features angled stitching for a “tailored” sub-pelvic fit, and the extra large back pad eliminates dangerous ‘D-ring Droop’. The extra thick woven (not sewn) seat webbing adds durability where most abrasion occurs.



- REL800050** A-Series Harness - 1 D-Ring, STD Size
- REL800150** A-Series Harness - 1 D-Ring, SM Size
- REL800450** A-Series Harness - 1 D-Ring, XL Size
- REL800550** A-Series Harness - 1 D-Ring, 2X Size
- REL800650** A-Series Harness - 1 D-Ring, Big Boy Size

## Reliance A-Series Harness - 1 D-Ring, Polyurethane Coating



Specifically designed for use in harsh work environments. With a .05” Polyurethane coating encapsulating the web, this harness is easier to clean and more resilient to cuts and burns in harsh work environments.



- REL800005** A-Series Harness - 1 D-Ring, Polyurethane Coating, STD Size
- REL800105** A-Series Harness - 1 D-Ring, Polyurethane Coating, SM Size
- REL800405** A-Series Harness - 1 D-Ring, Polyurethane Coating, XL Size
- REL800505** A-Series Harness - 1 D-Ring, Polyurethane Coating, 2X Size
- REL800605** A-Series Harness - 1 D-Ring, Polyurethane Coating, BB Size

## Reliance A-Series Harness - 1 D-Ring, Kevlar Web, Coated Hardware



Pass-thru closures. Manufactured with Kevlar Webbing with a protective fire retardant sheath of Nomex. This 2 part weave of Nomex and Kevlar gives the user added protection in the harshest of work environments.



- REL800051** A-Series Harness - 1 D-Ring, Coated Hardware, STD Size
- REL800151** A-Series Harness - 1 D-Ring, Coated Hardware, SM Size
- REL800451** A-Series Harness - 1 D-Ring, Coated Hardware, XL Size
- REL800551** A-Series Harness - 1 D-Ring, Coated Hardware, 2X Size
- REL800651** A-Series Harness - 1 D-Ring, Coated Hardware, Big Boy Size

## Reliance A-Series Harness - 1 D-Ring, Kevlar Web



Pass-thru closures. Manufactured with Kevlar Webbing with a protective fire retardant sheath of Nomex. This 2 part weave of Nomex and Kevlar gives the user added protection in the harshest of work environments. Specifically designed for electrical distribution work where a flash arc hazard exists.



- REL800052** A-Series Harness - 1 D-Ring, Kevlar Web, STD Size
- REL800152** A-Series Harness - 1 D-Ring, Kevlar Web, SM Size
- REL800452** A-Series Harness - 1 D-Ring, Kevlar Web, XL Size
- REL800552** A-Series Harness - 1 D-Ring, Kevlar Web, 2X Size
- REL800652** A-Series Harness - 1 D-Ring, Kevlar Web, Big Boy Size

## Reliance Ironman Harness - 1 D-Ring



The Reliance Ironman™ harness with additional padding and an integrated tool/accessory belt is especially useful in heavy construction. The added padding consist of a integral back support that doubles as a tool belt, and shoulder padding that provides relief from additional tool weight.



- REL810000** Ironman Harness - 1 D-Ring, STD Size
- REL810100** Ironman Harness - 1 D-Ring, SM Size
- REL810400** Ironman Harness - 1 D-Ring, XL Size
- REL810500** Ironman Harness - 1 D-Ring, 2X Size
- REL810600** Ironman Harness - 1 D-Ring, Big Boy Size

## Reliance Skyline™ 6' Single Leg Shock Absorbing Lanyard



6' length. The Skyline Lanyard is made of Tattletale™, 9,600 lb. tested, 1" polyester webbing. Lanyard has two 7/8" opening Pelican™ snap hooks. Complies with the current ANSI Z359.1-2007 and all applicable OSHA regulations and requirements.



**REL731106** Skyline™ 6' Single Leg Shock Absorbing Lanyard

## Reliance Skyline™ 6' Single Leg Tie-Back Shock Absorbing Lanyard with Rebar Hook



6' length. The Skyline Lanyard is made of Tattletale™, 9,600 lb. tested, 1" polyester webbing. Lanyard has one 7/8" opening Pelican™ snap hook and one 2-1/4" opening rebar hook. Complies with the current ANSI Z359.1-2007 and all applicable OSHA regulations and requirements.



**REL731206** Skyline™ 6' Single Leg Tie-Back Shock Absorbing Lanyard with Rebar Hook

## Reliance BlackMax™ 6' 'Smart' Shock Absorbing Lanyard



6' length. One 7/8" opening Pelican™ snap hook and one 3/4" Steelhead™ tieback hook. Individual bar-coded serial numbers, fixed length, easily inspectable. Complies with the current ANSI Z359.1-2007 and all applicable OSHA regulations and requirements.



**REL731700** BlackMax™ Single Leg, 6' 'Smart' Shock Absorbing Lanyard

## Reliance Skyline™ 6' Twin Leg Shock Absorbing Lanyard



Skyline Lanyards come equipped with three 7/8" opening Pelican™ hooks. The Shock Pack Covers are clear making them easy to inspect. Complies with the current ANSI Z359.1-2007 and all applicable OSHA regulations and requirements.



**REL741106** Skyline™ 6' Twin Leg Shock Absorbing Lanyard

## Reliance Skyline™ 6' Twin Leg Shock Absorbing Lanyard with Rebar Hooks



Skyline Lanyards come equipped with one 7/8" opening Pelican™ hook and two 2-1/4" opening rebar hooks. Complies with the current ANSI Z359.1-2007 and all applicable OSHA regulations and requirements.



**REL741206** Skyline™ 6' Twin Leg Shock Absorbing Lanyard

## Reliance BlackMax™ 6' Tie-Back Shock Absorbing Lanyard with Steelhead Snap Hooks



The BlackMax™ shock-absorbing lanyard is designed to arrest falls in both Force level 1 and Force level 2 conditions. This eliminates the need for 2 styles of shock-absorbing lanyards for employees that may be exposed to both potential fall conditions throughout the workday.



**REL741700** BlackMax™ 6' Twin Leg Tie-Back Shock Absorbing Lanyard with Steelhead Snap Hooks





## Reliance Positioning Lanyard, Web



Positioning lanyards are designed to restrain the user from reaching a fall hazard. This lanyard is made of 1" polyester Tattletale™ webbing. Complies with the current ANSI Z359.1-2007 and all applicable OSHA regulations and requirements. Features two Pelican™ 7/8" opening snaphooks.



- REL711103** Positioning Lanyard, Web, 3'
- REL711104** Positioning Lanyard, Web, 4'
- REL711106** Positioning Lanyard, Web, 6'

## Reliance Positioning Lanyard, 1/4" Cable



This 3' single leg positioning lanyard is made of 1/4" vinyl coated galvanized cable. Lanyard has a 7/8" opening Pelican™ snap hook on each end.



- REL714103** Positioning Lanyard, 1/4" Cable, 3'
- REL714104** Positioning Lanyard, 1/4" Cable, 4'
- REL714105** Positioning Lanyard, 1/4" Cable, 5'
- REL714106** Positioning Lanyard, 1/4" Cable, 6'

## Reliance Adjustable Length Positioning Lanyard



Made of 1" polyester Tattletale™ webbing. Adjustable to a maximum 3' length. Lanyard has a 7/8" opening Pelican™ snap hook on each end.



- REL717103** 3' Maximum Adjustable Length Positioning Lanyard
- REL717103** 3' Maximum Adjustable Length Positioning Lanyard
- REL717103** 3' Maximum Adjustable Length Positioning Lanyard

## Reliance Web Anchorage Sling



Temporary (Movable) Anchorage. Forged Steel 2" and 3" D-Rings. Tested 9,600 lb. Tattletale™ webbing. Super heavy sling with abrasion protector shield. Individual bar-coded serial numbers. Flexible, economical and easily movable anchorage device.



- REL680003** Web Anchorage Sling, 3'
- REL680004** Web Anchorage Sling, 4'
- REL680005** Web Anchorage Sling, 5'
- REL680006** Web Anchorage Sling, 6'
- REL680008** Web Anchorage Sling, 8'

## Reliance Single Ring Cable Anchorage Lanyard



1/4" galvanized wire rope with vinyl coating, 2" forged cargo O-ring on one end and a 7/8" snap hook on the other.



- REL714003** Single Ring Cable Anchorage Lanyard, 3'
- REL714004** Single Ring Cable Anchorage Lanyard, 4'
- REL714005** Single Ring Cable Anchorage Lanyard, 5'
- REL714006** Single Ring Cable Anchorage Lanyard, 6'
- REL714008** Single Ring Cable Anchorage Lanyard, 8'

## Reliance Choker Style Cable Anchor Pass-Thru Sling



1/4" galvanized wire rope with vinyl coating, 2" forged cargo O-ring on one end and a 7/8" snap hook on the other. Complies with the current ANSI Z359.1-2007 and all applicable OSHA regulations and requirements.



- REL714603** Choker Style Cable Anchor Pass-Thru Sling, 3'
- REL714604** Choker Style Cable Anchor Pass-Thru Sling, 4'
- REL714606** Choker Style Cable Anchor Pass-Thru Sling, 6'
- REL714608** Choker Style Cable Anchor Pass-Thru Sling, 8'

## Reliance Skyloc II Self Retracting Lifeline



New lightweight, fibreglass reinforced, stackable nylon housings include things like a big carry handle opposite a flat surface, making the units easier to transport and store. A swivel connection on top combined with a swivelling snap hook means no twisting on your anchorage.



- REL4000030** Skyloc II Self Retracting Lifeline, Galvanized, 30'
- REL4000050** Skyloc II Self Retracting Lifeline, Galvanized, 50'
- REL4000100** Skyloc II Self Retracting Lifeline, Galvanized, 100'
- REL4001030** Skyloc II Self Retracting Lifeline, Stainless Steel, 30'
- REL4001050** Skyloc II Self Retracting Lifeline, Stainless Steel, 50'

## Reliance StopLite® II Single Leg Self Retracting Lifeline



The StopLite II® can be attached quickly and easily to the back of a full body harness utilizing the Reliance SRL connector. Use of the connector allows for the attachment of either one or two StopLite II® devices without sacrificing the availability of the back D-ring.



- REL4103-1** StopLite® II 10' Tie-Back Self Retracting Lifeline
- REL4104-1** StopLite® II 7' Self Retracting Lifeline with Pelican Hook
- REL4105-1** StopLite® II 7' Self Retracting Lifeline with Steel Rebar Hook
- REL4106-1** StopLite® II 7' Self Retracting Lifeline with Aluminum Rebar Hook
- REL4107-1** StopLite® II 7' Self Retracting Lifeline with Lightweight Rebar Hook

## Reliance StopLite® II Twin Leg Self Retracting Lifeline



The StopLite II® can be attached quickly and easily to the back of a full body harness utilizing the Reliance SRL connector. Use of the connector allows for the attachment of either one or two StopLite II® devices without sacrificing the availability of the back D-ring.



- REL4103T** StopLite® II 10' Tie-Back Self Retracting Lifeline
- REL4104T** StopLite® II 7' Self Retracting Lifeline with Pelican Hook
- REL4105T** StopLite® II 7' Self Retracting Lifeline with Steel Rebar Hook
- REL4106T** StopLite® II 7' Self Retracting Lifeline with Aluminum Rebar Hook
- REL4107T** StopLite® II 7' Self Retracting Lifeline with Lightweight Rebar Hook

## Reliance Skyloc™ Self Retracting Lifeline



3/16" galvanized cable. Constructed of a heavy-duty powder-coated full steel case for durability. Three fast and positive cam-driven locking pawls offer security in case of a fall. Lightweight 7/8" opening Pelican™ hook with swivel attachment point. Complies with the current ANSI Z359.1-2007 and all applicable OSHA regulations and requirements.



- REL4030** Skyloc™ Self Retracting Lifeline, 30'
- REL4050** Skyloc™ Self Retracting Lifeline, 50'
- REL4100** Skyloc™ Self Retracting Lifeline, 100'

## Reliance Skyloc II Leading-Edge Self Retracting Lifeline



New lightweight, fibreglass reinforced, stackable nylon housings include things like a big carry handle opposite a flat surface, making the units easier to transport and store. A swivel connection on top combined with a swivelling snap hook means no twisting on your anchorage.



- REL4010020** Skyloc II Leading-Edge Self Retracting Lifeline Galvanized 20'
- REL4010040** Skyloc II Leading-Edge Self Retracting Lifeline Galvanized 40'
- REL4010050** Skyloc II Leading-Edge Self Retracting Lifeline Galvanized 50'
- REL4010065** Skyloc II Leading-Edge Self Retracting Lifeline Galvanized 65'

## Reliance ENVIROSHIELD® Sealed Self Retracting Device



The EnviroShield® design began with a white piece of paper and was engineered to provide unmatched protection in extreme environments. Reliance began by selecting the best materials that would yield the most durable, long lasting product available.



- REL4102100-1** ENVIROSHIELD® Sealed Self Retracting Device, 100'
- REL4102130-1** ENVIROSHIELD® Sealed Self Retracting Device, 130'



## Reliance SRS Suspension Relief Stirrup



The Suspension Relief Stirrup (SRS) is designed to provide the user relief from suspension after a fall arrest has occurred. Medsafe recommends the use of two (one for each foot/leg) REL884000's for better support and suspension relief.



REL884000 SRS Suspension Relief Stirrup

## Reliance 3108-1 Personal Beam Anchor



The Reliance 3108-1 Personal Beam Anchor features a rugged aluminum and stainless steel construction with ratcheting jaws that adjust for easy installation. This beam anchor fits flanges from 4" - 14.5" wide and has UHMW rollers for top-of-flange trailing.



REL3108-1 Personal Beam Anchor

## Reliance LockJaw™ Remote Beam Grip Clamp



Remote Beam Grip. Attaches easily to I-Beams, 5"-12" flanges. Mounts using fiberglass pole with 20 ft. reach 10,000 lb. (two-man) anchorage point. Aluminum jaws, steel swivel. For overhead anchorage use only.



REL3040 LockJaw™ Remote Beam Grip Clamp

## Reliance Aluminium Rebar Chain Assembly



14" chain assembly with two 7/8" opening Pelican™ snap hooks and one 2 1/4" opening steel rebar hook.



REL726001 Aluminium Rebar Chain Assembly

## Reliance Rescue Wristlets



Designed for confined space extraction. Straps can be fitted over wrists or ankles.



REL722001 Rescue Wristlets

## Reliance Wire Rope Rescue Ladder



Wire Rope Ladder for Horizontal Lifeline rescue (#5200 bracket not included)



REL5220 Wire Rope Rescue Ladder, 20'

REL5230 Wire Rope Rescue Ladder, 30'

## Genie Man DOPS Lift Enclosure With Drop Bar Entry & Left Hand Entry Door



The TUTUS Dropped Object Prevention Solutions™ (D.O.P.S.™) provides an extended level of protection to lift platforms by containing tools and material within the platform using a durable lightweight mesh enclosure.



**TUTDUAL226G** Genie Man DOPS Lift Enclosure With Drop Bar Entry & Left Hand Entry Door, 36" x 72"

## Genie Man DOPS Lift Enclosure With Center Drop Bar Entry



The TUTUS Dropped Object Prevention Solutions™ (D.O.P.S.™) provides an extended level of protection to lift platforms by containing tools and material within the platform using a durable lightweight mesh enclosure.



**TUTMLS228G** Genie Man DOPS Lift Enclosure With Center Drop Bar Entry, 36" x 96"

## JLG Man DOPS Lift Enclosure With Console Entry & Right Hand Entry



The TUTUS Dropped Object Prevention Solutions™ (D.O.P.S.™) provides an extended level of protection to lift platforms by containing tools and material within the platform using a durable lightweight mesh enclosure.



**TUTDUAL226J** JLG Man DOPS Lift Enclosure With Console Entry & Right Hand Entry, 36" x 72"

## JLG Man DOPS Lift Enclosure With Right Hand Entry



The TUTUS Dropped Object Prevention Solutions™ (D.O.P.S.™) provides an extended level of protection to lift platforms by containing tools and material within the platform using a durable lightweight mesh enclosure.



**TUTMLS226J** JLG Man DOPS Lift Enclosure With Right Hand Entry, 36" x 72"

## JLG Man DOPS Lift Enclosure With Right Hand Entry



The TUTUS Dropped Object Prevention Solutions™ (D.O.P.S.™) provides an extended level of protection to lift platforms by containing tools and material within the platform using a durable lightweight mesh enclosure.



**TUTMLS228J** JLG Man DOPS Lift Enclosure With Right Hand Entry, 36" x 96"

## Skyjack Scissor Lift System Platform, Extension Deck 4'



The TUTUS Dropped Object Prevention Solutions™ (D.O.P.S.™) provides an extended level of protection to lift platforms by containing tools and material within the platform using a durable lightweight mesh enclosure.



**TUTSLS4632** Skyjack Scissor Lift System Platform, Extension Deck 4', 42" x 84"





## Bullard Low Profile Hard Cap



The Bullard S61 sports a low-profile shell design and upgraded features and benefits. Comes with a 4-point suspension system and absorbent, cotton brow pad.



**BULS61RHO** Low Profile Hard Cap, Orange

*\*Please contact customer service or go to [www.gosafe.com](http://www.gosafe.com) for available colors and suspension options.*

## Bullard Low Profile Full Brim Hard Hat



The Bullard Model S71 is a full brim hat offered with a ratchet suspension which features a replaceable cotton brow pad. The suspension system has four points of attachment with four separate keys for a secure fit.



**BULS71RWH** Low Profile Full Brim Hard Hat, White

*\*Please contact customer service or go to [www.gosafe.com](http://www.gosafe.com) for available colors and suspension options.*

## MSA V-Gard® Slotted Protective Cap



MSA V-Gard® Class E Polyethylene Slotted Hard Cap With Fas-Trac® Suspension has self-adjusting crown straps for added comfort protection. Lightweight cap is designed to work with MSA accessories and polyethylene shell offers superior impact protection.



**MSA10061512** V-Gard Slotted Protective Cap, Hi-Vis Green

*\*Please contact customer service or go to [www.gosafe.com](http://www.gosafe.com) for available colors and suspension options.*

## MSA V-Gard® Slotted Protective Hard Hat



The MSA V-Gard Helmet, with its distinctive trademark "V" design, is a world recognized brand known for comfort, quality, and durability.



**MSA454730** V-Gard® Slotted Protective Hard Hat

*\*Please contact customer service or go to [www.gosafe.com](http://www.gosafe.com) for available colors and suspension options.*

## Paulson Sun Shield Visors



The Sun Shield offers additional UV and sunburn protection for the most vulnerable areas of the head, ears, face and neck by extending the cap/hat's brim all the way around to protect wearer's ears and neck from the sun's rays.



**PAUAS-4B-2** Sun Shield Visor, for Bullard S71 Full Brim Hard Hats

**PAUA-S4-M** Sun Shield Visor, for MSA Full Brim Hard Hats

**PAUA-S5-B** Sun Shield Visor, for Bullard S61 Protective Caps

**PAUA-S5-M** Sun Shield Visor, for MSA V-Gard Protective Caps

## Radians Original Breezelight™ II Class 2 T-shirt



Cool mesh with PFM technology. High performance. High quality premium fabric. High wicking moisture management. Compliant & certified to 75 washes. Meets ANSI 107-2010 high visibility standards.



**RADLHV-XTS-AR-P** Original Breezelight™ II Class 2 T-shirt, Hi-Viz Lime

**RADHV-XTS-AR-P** Original Breezelight™ II Class 2 T-shirt, Hi-Viz Orange

## Radians Resistor™ 32 Disposable Foam Earplugs



Radians Made in the USA disposable foam earplugs feature soft, slow-recovery foam for extreme comfort and outstanding noise reduction to protect your hearing. Noise Reduction Rating (NRR) 32dB



**RADFP70** Resistor™ 32 Uncorded Disposable Foam Earplugs, 200/box  
**RADFP71** Resistor™ 32 Corded Disposable Foam Earplugs, 100/box

## Radians Deviator™ 33 Disposable Foam Earplugs



Radians Made in the USA disposable foam earplugs feature soft, slow-recovery foam for extreme comfort and outstanding noise reduction to protect your hearing. Noise Reduction Rating (NRR) 33dB



**RADFP80** Deviator™ 33 Uncorded Disposable Foam Earplugs, 200/box  
**RADFP81** Deviator™ 33 Corded Disposable Foam Earplugs, 100/box

## Radians Deflector™ 33 Disposable Foam Earplugs



Radians Made in the USA disposable foam earplugs feature soft, slow-recovery foam for extreme comfort and outstanding noise reduction to protect your hearing. Noise Reduction Rating (NRR) 33dB



**RADFP90** Deflector™ 33 Uncorded Disposable Foam Earplugs, 200/box  
**RADFP91** Deflector™ 33 Corded Disposable Foam Earplugs, 100/box

## Radians Detour™ 32 Disposable Foam Earplugs



Radians Made in the USA disposable foam earplugs feature soft, slow-recovery foam for extreme comfort and outstanding noise reduction to protect your hearing. Noise Reduction Rating (NRR) 32dB



**RADFP30** Detour™ 32 Uncorded Disposable Foam Earplugs, 200/box  
**RADFP31** Detour™ 32 Corded Disposable Foam Earplugs, 100/box

## Radians Custom Molded Earplugs



Radians Custom Molded Earplugs are an easy, do-it-yourself kit, molds in 10 minutes.



**RADCEP001-B** Custom Molded Earplugs, Blue  
**RADCEP001-O** Custom Molded Earplugs, Orange

## Howard Leight Max Lite Single-Use Earplug



Ideal size for workers with smaller ear canals. Low pressure polyurethane foam expands gently for comfortable long-term wear. Contoured T-shape for easy handling and wear. Smooth, soil-resistant closed cell-foam skin prevents dirt build-up.



**HOWLPF1** Max Lite Single-Use Earplug Uncorded, 200/bx  
**HOWLPF30** Max Lite Single-Use Earplug Corded, 100/bx



## Howard Leight Max Single-Use Earplug



Bell shape delivers maximum in-ear comfort. Contoured design easier to insert, resists tendency to back-out of ear canal. Polyurethane foam enhances comfort, especially for long-term wear. Smooth, soil-resistant closed cell-foam skin prevents dirt build-up.



**HOWMAX1** Max Single-Use Earplug Uncorded, 200/bx

**HOWMAX30** Max Single-Use Earplug Corded, 100/bx

## 3M™ E-A-R™ Classic™ Earplugs



3M™ E-A-R™ Classic™ earplugs set the standard in hearing protection as the world's first foam earplugs. Constructed from slow-recovery foam, these disposable earplugs are uniquely moisture-resistant.



**CAB310-1001** E-A-R™ Classic™ Uncorded Earplugs, 200/bx

**CAB311-1101** E-A-R™ Classic™ Corded Earplugs, 200/bx



Most popular earplug in the world, Econopack lowers your cost, NRR 29dB, Moisture resistant dermatologically safe foam is not irritating, Slow recovery PVC foam provides comfort with low pressure.



**CAB310-1101** E-A-R™ Classic™ Plus Uncorded Earplugs, 200/bx

**CAB311-1105** E-A-R™ Classic™ Plus Corded Earplugs, 200/bx

## 3M™ E-A-Rsoft™ Grippers™ Corded Earplugs



3M™ E-A-Rsoft™ Grippers™ earplugs unique grip rings help create a soft, noise-blocking seal for effective hearing protection. Ideal for people with larger earcanals.



**CAB312-6001** E-A-Rsoft™ Grippers™ Corded Earplugs, 200/bx

## 3M™ E-A-Rsoft™ FX™ Uncorded Earplugs



3M™ E-A-Rsoft™ FX™ earplugs feature a bell shape and super-soft, slow-recovery foam to effectively seal the earcanal and provide reliable hearing protection



**CAB312-1261** E-A-Rsoft™ FX™ Uncorded Earplugs, 200/bx

## 3M™ E-A-Rsoft™ Yellow Neon Blasts™ Earplugs



3M™ E-A-Rsoft™ Yellow Neon Blasts™ earplugs seal the earcanal with soft, slow-recovery foam for excellent noise reduction and comfort. Exciting flame graphics.




**CAB312-1252** E-A-Rsoft™ Yellow Neon Blasts™ Uncorded Earplugs, 200/bx

**CAB311-1252** E-A-Rsoft™ Yellow Neon Blasts™ Corded Earplugs, 200/bx

## 3M™ E-A-Rsoft™ Yellow Neons™ Earplugs

**3M**

3M™ E-A-Rsoft™ Yellow Neons™ earplugs seal the ear canal with soft, slow-recovery foam for excellent noise reduction and comfort.



**CAB312-1250** E-A-Rsoft™ Yellow Neons™ Uncorded Earplugs, 200/bx

**CAB311-1250** E-A-Rsoft™ Yellow Neons™ Corded Earplugs, 200/bx

## 3M™ E-A-R™ Push-Ins™ Earplugs

**3M**

3M™ E-A-R™ Push-Ins™ foam earplugs provide all-day hearing comfort, convenience and protection. Constructed of 3M™ E-A-Rform™ foam, these earplugs feature a no roll-down design and a blue stem for a quick and easy fit.



**CAB318-1002** E-A-R™ Push-Ins™ Uncorded Earplugs, 200/bx

**CAB318-1001** E-A-R™ Push-Ins™ Corded Earplugs, 100/bx

## 3M™ E-A-R™ EXPRESS™ Pod Plugs™ Uncorded Earplugs

**3M**

3M™ E-A-R™ Express™ Pod Plugs™ push-to-fit earplugs feature advanced “no-roll”, slow-recovery foam tips and assorted, paddle-style color grips. Unique grips allow easy fitting and help keep earplug tips clean even when your hands are dirty.



**CAB321-2200** E-A-R™ EXPRESS™ Pod Plugs™ Uncorded Earplugs With Assorted Color Grips, 100/bx

## 3M™ E-A-R™ UltraFit™ Earplugs

**3M**

The 3M™ E-A-R™ UltraFit™ earplugs features a proprietary, premolded, triple-flange design that fits comfortably in most ear canals.



**CAB340-4003** E-A-R™ UltraFit™ Uncorded Earplugs, Poly Bag

**CAB340-4004** E-A-R™ UltraFit™ Corded Earplugs, Poly Bag

## Moldex SparkPlugs® Foam Earplugs

**MOLDEX**

SparkPlugs® earplugs are made of extra-soft, extra light foam. Their tapered shape fits easily in the ear canal, and seals gently and snugly without pressure. They're so comfortable you'll forget you're wearing earplugs.



**MOL6604-1** SparkPlugs® Foam Earplugs, Uncorded, 200/bx

**MOL6654** SparkPlugs® Foam Earplugs, Corded, 100/bx

## Moldex Pura-Fit® Foam Earplugs

**MOLDEX**

Pura-Fit® is designed for increased compliance and fewer complaints. The special foam is formulated for softness and comfort, and the outer surface is smooth, so it doesn't irritate the ear canal.



**MOL6800** Pura-Fit® Foam Earplugs, Uncorded, 200/bx

**MOL6900** Pura-Fit® Foam Earplugs, Corded, 100/bx



## 3M™ Particulate Respirator 8200, N95

**3M**

This economical disposable N95 particulate respirator is designed to help provide reliable worker respiratory protection against certain non-oil based particles.



**3M8200** Particulate Respirator 8200, N95, 20/bx

## 3M™ Particulate Respirator 8210, N95

**3M**

This classic disposable N95 particulate respirator is designed to help provide comfortable, reliable worker respiratory protection against certain non-oil based particles.



**3M8210** Particulate Respirator 8210, N95, 20/bx

## 3M™ Particulate Respirator 8210Plus, N95

**3M**

This disposable N95 particulate respirator offers braided headbands and staple free attachment points. It is designed to help provide comfortable, reliable worker respiratory protection against certain non-oil based particles.



**3M8210PLUS** Particulate Respirator 8210Plus, N95, 20/bx

## 3M™ Particulate Welding Respirator 8515 With Valve, N95

**3M**

This economical N95 disposable particulate welding respirator helps provide respiratory protection for applications where metal fumes may be present. It features 3M™ Cool Flow™ Valve, braided headband and adjustable M-noseclip for added comfort.



**3M8515** Particulate Welding Respirator 8515 With Valve, N95, 10/bx

## 3M™ Particulate Welding Respirator 8512 With Valve, N95

**3M**

This disposable N95 particulate welding respirator helps provide respiratory protection for applications such as welding or soldering where metal fumes may be present. The 3M™ Cool Flow™ Valve and fully adjustable straps provide added comfort.



**3M8512** Particulate Welding Respirator 8512 With Valve, N95, 10/bx

## 3M™ Particulate Welding Respirator 8212 With Valve, N95

**3M**

This disposable N95 particulate welding respirator is designed to help provide respiratory protection for applications such as welding or soldering where metal fumes may be present. Features 3M™ Cool Flow™ Valve, foam faceseal, adjustable head straps.



**3M8212** Particulate Welding Respirator 8212 With Valve, N95, 10/bx



## 3M™ Particulate Respirator 8514 With Nuisance Level OV Relief, N95

**3M**

This disposable N95 particulate welding respirator features a carbon layer and the 3MTM Cool Flow™ Valve. It is designed for applications where metal fumes are present including those with ozone and nuisance level organic vapors.



**3M8514** Particulate Respirator 8514 With Nuisance Level OV Relief, N95, 10/bx

## 3M™ Particulate Respirator 8214 With Face Seal & Valve, N95

**3M**

This disposable N95 particulate welding respirator with carbon layer helps provide respiratory protection where metal fumes may be present including those with ozone\* and nuisance level organic vapors\*\*. Features foam face seal and 3M™ Cool Flow™ Valve.



**3M8214** Particulate Respirator 8214 With Face Seal & Valve, N95, 10/bx

## 3M™ Particulate Respirator 8240, R95

**3M**

This economical R95 disposable particulate respirator is designed to help provide comfortable, reliable worker respiratory protection against certain oil and non-oil based particles.



**3M8240** Particulate Respirator 8240, R95, 20/bx

## 3M™ Particulate Respirator 8247 With Nuisance Level OV Relief, R95

**3M**

This disposable R95 particulate respirator helps provide reliable respiratory protection against certain oil and non-oil based particles. Constructed with a carbon filter layer for nuisance levels of organic vapors.



**3M8247** Particulate Respirator 8247 With Nuisance Level OV Relief, R95, 20/bx

## 3M™ Particulate Respirator 8271 With Valve, P95

**3M**

This disposable P95 particulate respirator features 3M proprietary advanced electret filter media, foam face seal and 3M™ Cool Flow™ Valve to help provide comfortable worker respiratory protection against certain oil and non-oil based particles.



**3M8271** Particulate Respirator 8271 With Valve, P95, 10/bx

## 3M™ Particulate Respirator 8577 With Nuisance Level OV Relief, P95

**3M**

This disposable P95 particulate respirator helps provide respiratory protection against certain oil and non-oil based particles. The respirator features a carbon layer to remove nuisance levels\* of organic vapors. It features 3M™ Cool Flow™ Valve.



**3M8577** Particulate Respirator 8577 With Nuisance Level OV Relief, P95, 10/bx



## 3M™ Particulate Respirator 8576 With Nuisance Level AG Relief, P95

**3M**

This disposable P95 particulate respirator helps provide reliable respiratory protection against certain oil and non-oil based particles. The respirator features a carbon layer to remove nuisance levels of acid gases. See product warning for use details.



**3M8576** Particulate Respirator 8576 With Nuisance Level AG Relief, P95, 10/bx

## 3M™ Particulate Respirator 8293 With Valve, P100

**3M**

This disposable P100 particulate respirator helps provide comfortable, reliable worker respiratory protection for certain oil and non-oil based particles. Features 3M™ Cool Flow™ Valve, foam faceseal, adjustable straps and individual packaging.



**3M8293** Particulate Respirator 8293 With Valve, P100, 20/cs

## Moldex 2200 Series Particulate Respirators

**MOLDEX**

The Dura-Mesh® shell, exclusive to Moldex®, protects the filter media so it stays cleaner-looking longer. The shell resists collapsing, even in heat and humidity so the respirator holds its shape longer. The result is fewer respirators used and lower costs.



**MOL2200N95** 2200 Series Particulate Respirators, 20/bx

## Moldex 4200N95 Series AirWave® Disposable Respirators

**MOLDEX**

The outstanding performance of AirWave® is due to its patented, wave design technology. It allows more airflow in and out of the respirator for cool comfort and easier breathing.



**MOL4200N95** 4200 Series AirWave® Disposable Respirators, 10/bx

## Moldex 2300N95 Series Particulate Respirators With Exhale Valve

**MOLDEX**

2300 Series Particulate Respirators are suitable for most welding applications. Dura-Mesh® shell resists collapsing in hot humid conditions common to most welding applications. Meets heat and flame resistance in accordance with ANSI/ISEA 110.2003 Section 7.11.1.



**MOL2300N95** 2300 Series Particulate Respirators with Exhale Valve, 10/bx

## Moldex 2700 Series Particulate Respirators with Ventex® Valve

**MOLDEX**

The exclusive Dura-Mesh® shell protects the filter media so it stays cleaner looking longer. The shell also resists collapsing in hot, humid environments so the respirator holds its shape longer. The result is fewer respirators used and lower costs.



**MOL2700N95** 2700 Series Particulate Respirators With HandyStrap® and Ventex® Valve, 10/bx

## 3M™ Half Facepiece Disposable Respirator Assembly, Organic Vapors

**3M**

NIOSH approved against certain organic vapors. Use in a variety of workplace applications, including petrochemical, chemical manufacturing, construction, transportation and electronics.



## 3M™ Half Facepiece Disposable Respirator Assembly, Organic Vapors & Acid Gases

**3M**

NIOSH approved against certain organic vapors and acid gases. Use in a variety of applications, including pharmaceutical, petrochemical, utilities, aluminum reduction, chemical manufacturing, laboratories, and pulp and paper.



## 3M™ Half Facepiece Disposable Respirator Assembly, Organic Vapors/P95

**3M**

NIOSH approved against certain organic vapors and particulates. Use for a variety of applications including spray painting, pesticides, agriculture, construction and transportation.



**3M5101** Half Face Disposable Respirator Assembly, OV, SM

**3M5201** Half Face Disposable Respirator Assembly, OV, MD

**3M5301** Half Face Disposable Respirator Assembly, OV, LG

**3M5103** Half Facepiece Disposable Respirator Assembly, OV/AG, SM

**3M5203** Half Facepiece Disposable Respirator Assembly, OV/AG, MD

**3M5303** Half Facepiece Disposable Respirator Assembly, OV/AG, LG

**3M51P71** Half Facepiece Disposable Respirator Assembly, OV/P95, SM

**3M52P71** Half Facepiece Disposable Respirator Assembly, OV/P95, MD

**3M53P71** Half Facepiece Disposable Respirator Assembly, OV/P95, LG

## 3M™ Half Facepiece Reusable Respirator

**3M**

This half facepiece reusable respirator offers reliable and convenient respiratory protection and is suitable for many situations, helping provide protection against particulates and a wide variety of gases and vapors according to NIOSH approvals.



**3M6100** Half Facepiece Reusable Respirator, SM

**3M6200** Half Facepiece Reusable Respirator, MD

**3M6300** Half Facepiece Reusable Respirator, LG

## 3M™ Rugged Comfort Half Facepiece Reusable Respirator

**3M**

The 3M™ Rugged Comfort 6500 Series Half Facepiece Reusable Respirator is designed to help promote comfort, durability, and stability with a firm, lightly textured silicone faceseal and strong body construction.



**3M6501** Rugged Comfort Half Facepiece Reusable Respirator, SM

**3M6502** Rugged Comfort Half Facepiece Reusable Respirator, MD

**3M6503** Rugged Comfort Half Facepiece Reusable Respirator, LG

## 3M™ Half Facepiece Reusable Respirator

**3M**

This half facepiece reusable respirator 7500 Series uses advanced silicone material to help provide comfortable and durable respiratory protection. The 3M™ Cool Flow™ Valve helps make breathing easier and can reduce heat and moisture build-up for cool, dry comfort.



**3M7501** Half Facepiece Reusable Respirator, SM

**3M7502** Half Facepiece Reusable Respirator, MD

**3M7503** Half Facepiece Reusable Respirator, LG



## 3M™ Organic Vapor Cartridge/Filter 60921, P100

**3M**

NIOSH approved against certain organic vapors and particulates. Use with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.



**3M60921** Organic Vapor Cartridge/Filter, P100, 2/pk

## 3M™ Acid Gas Cartridge/Filter 60922, P100

**3M**

NIOSH approved against certain acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.



**3M60922** Acid Gas Cartridge/Filter, P100, 2/pk

## 3M™ Organic Vapor/Acid Gas Cartridge/Filter 60923, P100

**3M**

NIOSH approved against certain organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.



**3M60923** Organic Vapor/Acid Gas Cartridge/Filter, P100, 2/pk

## 3M™ Ammonia/ Methylamine/Filter 60924, P100

**3M**

This cartridge is NIOSH approved to help provide respiratory protection against ammonia, methylamine and particulates. Use with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series.



**3M60924** Ammonia/ Methylamine/Filter, P100, 2/pk

## 3M™ Multi Gas/Vapor Cartridge/Filter 60926, P100

**3M**

NIOSH approved against certain organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.



**3M60926** Multi Gas/Vapor Cartridge/Filter, P100, 2/pk

## 3M™ Organic Vapor Cartridge 6001

**3M**

NIOSH approved against certain organic vapors. Use with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.



**3M6001** Organic Vapor Cartridge, 2/pk

## 3M™ Acid Gas Cartridge 6002



NIOSH approved against certain acid gases. Use with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.



**3M6002** Acid Gas Cartridge, 2/pk

## 3M™ Organic Vapor/Acid Gas Cartridge 6003



The 3M™ Organic Vapor/Acid Gas Cartridge 6003 helps provide respiratory protection against certain organic vapors or acid gases. Use with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.



**3M6003** Organic Vapor/Acid Gas Cartridge, 2/pk

## 3M™ Ammonia Methylamine Cartridge 6004



NIOSH approved against ammonia and methylamine. Use with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.



**3M6004** Ammonia Methylamine Cartridge, 2/pk

## 3M™ Formaldehyde/Organic Vapor Cartridge 6005



NIOSH approved against formaldehyde and certain organic vapors. Use with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.



**3M6005** Formaldehyde/Organic Vapor Cartridge, 2/pk

## 3M™ Multi Acid Gas/Organic Vapor Cartridge 6006



NIOSH approved against certain organic vapors, acid gases, ammonia, methylamine or formaldehyde. Use with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.



**3M6006** Multi Acid Gas/Organic Vapor Cartridge, 2/pk

## 3M™ Particulate Filter 5N11, N95



NIOSH approved for environments containing certain non-oil based particles. Use with 3M™ Respirators 5000 Series or 3M™ Cartridges 6000 Series or 3M™ Filter Adapter 603, and 3M™ Filter Retainer 501.



**3M5N11** Particulate Filter, N95, 10/cs





## 3M™ Particulate Filter 5P71, P95

**3M**

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Respirators 5000 Series or 3M™ Cartridges 6000 Series or 3M™ Filter Adapter 603, and 3M™ Filter Retainer 501.



**3M5P71** Particulate Filter, P95, 10/cs

## 3M™ Filter Retainer 501

**3M**

Used to hold 3M™ Particulate Filters 5N11 and 5P71/07194(AAD) in place on top of 3M™ Respirators 5000 Series and 3M™ Cartridges 6000 Series and 3M™ Filter Adapter 603.



**3M501** Filter Retainer 501, 10 pair/bx

## 3M™ Faceshield Cover 6885

**3M**

Use on 3M™ Full Facepieces 6000 Series to help protect the lens.



**3M6885** Faceshield Cover 6885, 100/cs

## 3M™ Lens Cover FF-400-15

**3M**

Standard lens covers for use with 3M™ Ultimate FX Full Facepiece Reusable Respirators FF-401, 402 and 403.



**3MFF40015** Lens Cover FF-400-15, 100/cs

## 3M™ Lens Cover 7899

**3M**

Use with 3M™ Full Facepieces 7000 Series to help protect lens.



**3M7899-100** Lens Cover 7899, 100/cs  
**3M7899-25** Lens Cover 7899, 25/cs

## 3M™ Respirator Cleaning Wipe 504

**3M**

Used to clean 3M™ Elastomeric Facepiece Respirators. Individually packed 8 in x 10 in towelettes are alcohol free and will not damage the facepiece materials.



**3M504** Respirator Cleaning Wipes, 100/bx

## Radians Mirage™ USA



Radians Mirage™ Safety Eyewear offers a sleek design which allows for a perfect fit for both men and women, ensuring worker acceptance.



- RADMR0110ID** Mirage Safety Glasses, Clear Lens
- RADMR0111ID** Mirage Safety Glasses, Clear Anti-Fog Lens
- RADMR0120ID** Mirage Safety Glasses, Smoke Lens

## UVEX Genesis Safety Glasses



Wrap-around lens provides exceptional peripheral vision and protection. Flexible fingers adjust to most nasal profiles. Elastomer browguard deflects impact. Adjustable temples and lens inclination.



- S3200** Genesis Safety Glasses, Clear Lens
- S3200X** Genesis Safety Glasses, Clear Anti-Fog Lens
- S3201** Genesis Safety Glasses, Espresso Lens
- S3201X** Genesis Safety Glasses, Espresso Anti-Fog Lens
- S3202X** Genesis Safety Glasses, Amber Anti-Fog Lens

## UVEX Genesis X2 Safety Glasses



Sport styled wrap-around lens provides exceptional peripheral protection. Flexible fingers adjust to most nasal profiles. Elastomer browguard deflects impact. Adjustable temples and lens inclination.



- S3500** Genesis X2 Safety Glasses, Clear Lens
- S3500X** Genesis X2 Safety Glasses, Clear Anti-Fog Lens
- S3501** Genesis X2 Safety Glasses, Espresso Lens
- S3501X** Genesis X2 Safety Glasses, Espresso Anti-Fog Lens

## UVEX Stealth Goggles



The Uvex Stealth goggle combines modern design, technology, materials and high-performance lens coatings to create the highest levels of worker comfort and acceptance.



- S3960HS** Stealth Goggles, Gray Body, Clear Hydrosshield Anti-Fog Lens
- S3961C** Stealth Goggles, Gray Body, Gray Anti-Fog Lens
- S3962C** Stealth Goggles, Gray Body, Amber Anti-Fog Lens

## Combo Safety Pack B52/B26 Side Shields



The Compliance Safepack™ Plus consists of ten (10) of the patented B-52+ Aye-Mate® & ten (10) of the patented B26+ Wingmate™ side shields.



- SAFOCP52/26** Combo Safety Pack B52/B26 Side Shields, Clear, 20/pk

## Combo Safety Pack B53/B27 Side Shields



The Compliance Safepack™ Plus consists of ten (10) of the patented B-52+ Aye-Mate® & ten (10) of the patented B26+ Wingmate™ side shields.



- SAFOSM5327** Combo Safety Pack B53/B27 Side Shields, Tinted, 20/pk



## Thorogood 8" Steel Moc Toe Work Boot



This 8" Moc Toe work boot features a tobacco oil-tanned leather upper, Goodyear Storm Welt construction and cotton drill vamp lining.



TG4208 8" Steel Moc Toe Work Boot, Tan

## Thorogood 8" Steel Moc Toe Work Boot



This 8" Moc Toe work boot features a trail crazyhorse leather upper, Goodyear storm welt construction and removable dual-density Ultimate Shock Absorption™ footbed on Poron® comfort cushion insole.



TG4378 8" Steel Moc Toe Work Boot, Brown

## Thorogood 8" Steel Plain Toe Work Boot



This 8" Steel Toe work boot features a trail crazyhorse leather upper, Goodyear storm welt construction and removable dual-density Ultimate Shock Absorption™ footbed on Poron® comfort cushion insole.



TG4379 8" Steel Plain Toe Work Boot, Brown

## Thorogood 8" American Heritage Safety Toe Work Boot



When the job conditions are rugged, these safety toe boots keep your feet out of harm's way. The Goodyear Welt construction means you can resole these shoes over the years, making these Made in the USA boots a smart buy.



TG4308 8" American Heritage Safety Toe Work Boot, Tobacco

## Thorogood 6" OMNI Waterproof Safety Toe Work Boot



The waterproof, breathable lining in these safety toe boots means your feet won't get wet. Thorogood's lug outsole offers reliable traction, while bob lugs flex like independent claws on contact with hard surfaces.



TG8043266 6" OMNI Waterproof Safety Toe Work Boot, Brown

## Thorogood 6" Oil Rigger Safety Toe Work Boot



The rugged Oil Rigger boots from Thorogood have you covered. The Vibram® SO498 rubber outsole with TC4 compound is slip-resistant and highly abrasion resistant – great for oil and gas or welding applications.



TG3406 6" Oil Rigger Safety Toe Work Boot, Brown

## Thorogood 11" Oil Rigger Wellington Safety Toe Work Boot



The rugged Oil Rigger boots from Thorogood have you covered. The Vibram® SO498 rubber outsole with TC4 compound is slip-resistant and highly abrasion resistant – great for oil and gas or welding applications.



**TG3231** 11" Oil Rigger Wellington Safety Toe Work Boot, Brown

## Thorogood 11" American Heritage Wellington Safety Toe Work Boot



The ease of these Made in the USA slip-on safety toe boots means you don't have to strain your low back first thing in the morning by bending over to lace up. Your feet stay planted firmly on the ground, with the MAXWear 90 outsole.



**TG3311** 11" American Heritage Wellington Safety Toe Work Boot, Brown

## Thorogood 8" Wellington Side-Zip Work Boot



This 8" Wellington Side-Zip work boot features a brown tumbled oiled full grain leather upper, Goodyear Storm Welt construction and spacer mesh lining



**TG4440** 8" Wellington Side-Zip Work Boot, Brown

## MSA Altair 4X Multi-Gas Detector



The ALTAIR 4X is an extremely durable Multigas Detector that simultaneously measures up to four gases from a wide range of XCell(R) sensor options including combustible gases, O<sub>2</sub>, CO, H<sub>2</sub>S, SO<sub>2</sub> and NO<sub>2</sub>.



**MSA10107602** Altair 4X Multi-Gas Detector  
LEL, O<sub>2</sub>, H<sub>2</sub>S and CO Sensors

## MSA Altair 5X Multi-Gas Detector



The ALTAIR 5X Multigas Detector provides many options to fit various applications. The detector is configurable with either a high-resolution color or monochrome LCD display with multilingual capabilities.



**MSA10116928** Altair 5X Multi-Gas Detector, Color Display  
LEL, O<sub>2</sub>, H<sub>2</sub>S and CO Sensors

## Fold & Roll Sign System, 48 inch



The DF3000XP series Fold & Roll Sign System™ utilizes a collapsible leg and panel design for compact storage and ease of transport to and from the work zone.



**DICDF300348** Fold & Roll Sign System, 48"



## Economy Tripod Stand



The T55 tripod is an all-purpose three legged economy sign stand designed to hold 36" and 48" roll-up and rigid signs.



**DICT50** Economy Tripod Stand

## Roll-Up Signs, 48 inch



Available in a variety of materials and sizes, roll-up signs offer full size signage in a lightweight and easy to store design.



**DICRUNR482ME** Roll-Up Sign, 48", Men Working Symbol, Non-Reflective

**DICRUR482MEN** Roll-Up Sign, 48", Men Working Symbol, Reflective

*\*Please contact customer service or go to [www.gosafe.com](http://www.gosafe.com) for available sign options.*

## Rhino™ Channelizer Barrel, 44" Tall

PLASTICORP® PRODUCT

Standing 44" tall, the Rhino Channelizer Barrel is the tallest, most visible barrel in the work zone. Thick wall design makes this barrel extremely sturdy and durable.



**PLC452HDT40** Rhino™ Channelizer Barrel, 44" Tall, Orange

**PLC4500** Rhino™ Channelizer Barrel Tire Ring, 24 lbs

## Navicade™ Traffic Channelizing Cone

PLASTICORP® PRODUCT

Slim design is perfect for narrow highways and street projects where space is an issue. Very durable, designed to rebound after impact. Unique handle is easy to grab even with flashing light or sign attached.



**PLC650R104H** Navicade™ Traffic Channelizing Cone, 48" High (No Base)

**PLC650RB16** Navicade™ Traffic Channelizing Cone Base, 16 lb (Base Only)

**PLC650RB30** Navicade™ Traffic Channelizing Cone Base, 30 lb (Base Only)

## Enviro-Cone, Lime

The Enviro-Cone® is 80% recycled by weight and can be recycled again. The Easy Grip Groove provides excellent "gription" for quick deployment and retrieval. Also makes tying off caution tape to cone quick and easy.



**VIZ16018HIWB-3-LIME** Enviro-Cone, Lime, 18", 3 lb

**VIZ16028HIWB-7-LIME** Enviro-Cone, Lime, 28", 7 lb

**VIZ16028HIWB-10-LIME** Enviro-Cone, Lime, 28", 10 lb

**VIZ16028HIWB-12-LIME** Enviro-Cone, Lime, 28", 12 lb

**VIZ16036HIWB-12-LIME** Enviro-Cone, Lime, 36", 12 lb

## Enviro-Cone, Orange

The Enviro-Cone® is 80% recycled by weight and can be recycled again. The Easy Grip Groove provides excellent "gription" for quick deployment and retrieval. Also makes tying off caution tape to cone quick and easy.



**VIZ16018HIWB-3** Enviro-Cone, Orange, 18", 3 lb

**VIZ16028HIWB-7** Enviro-Cone, Orange, 28", 7 lb

**VIZ16028HIWB-10** Enviro-Cone, Orange, 28", 10 lb

**VIZ16028HIWB-12** Enviro-Cone, Orange, 28", 12 lb

**VIZ16036HIWB-12** Enviro-Cone, Orange, 36", 12 lb





**Safety Supplies** Proudly Made In USA



**Medsafe** was founded in 1979 and started operations in Marshall, TX.

Since 2011, **Medsafe** has operated out of a 100,000 square foot corporate headquarters and distribution hub located in La Porte, TX.

**Medsafe** operates multiple locations and serves customers across the continental US and abroad.



All of the items pictured in this catalog are available through our completely redesigned website located at **[www.gosafe.com](http://www.gosafe.com)**.

Stop by our La Porte, TX location and you can try on any of the items pictured here, and browse through our complete selection of safety equipment and supplies. **Safety begins with us !**

**[www.gosafe.com](http://www.gosafe.com)**



**Safety Supplies** Proudly Made in USA



## Why Medsafe?

- **Technical innovations** allow us to offer effective solutions.
- **Dedicated log in** for your individual jobsites allow you to see your specific program.
- **Hot Lists** : Lists of approved or recurring purchased items are available for quick ordering
- **Easy payment options** : PO or P-Card
- **Family owned & operated** since 1979.
- **We are focused only on safety** and will partner with you to keep you and your teams safe.
- **Drive your safety standards and culture** with an expert who will help you develop them.

*“Medsafe combines the technological and service capabilities of an international provider with the family feel that makes it comfortable to work with us on a long-term basis. We listen to our customers, and provide effective solutions”*

*– Burk Shaw, President*



**www.gosafe.com**

### Corporate Office - La Porte, TX

4200 Underwood La Porte, TX 77571

(P.O. Box 1025 Deer Park, TX 77536)

Customer Support: 800.330.9240

Fax: 281.476.5394

Order Inquiries: sales@gosafe.com

Order Online at: www.gosafe.com

