# **Construction Safety Supplies**



FR Clothing • Fall Protection & Engineered Systems Product Customization • Personal Protective Equipment Equipment Rentals • Certified Repair & Recertification



Safety Begins With Us

800.330.9240 • www.gosafe.com

#### **Hand Protection**





#### A. Chrome Oasis® 4030

In a heated situation, comfort should be the last thing on your mind. HexArmor® wants to keep it that way. We've added HexVent® to our most popular mechanic's glove, to provide you with the highest level of cut and impact protection on the market while making sure you aren't overheating due to your PPE. This advanced breathable technology supports our hi-vis impact-resistance system, and a layer of cut 5 SuperFabric® brand material gives you both superior safety and peace of mind. The combination of HexVent®, our standard pre-curve design, and double-stitched seams provides added dexterity and durability. Now you can focus on your work, and we'll focus on your comfort and safety

| SKU     | Description        | Size | UOM |
|---------|--------------------|------|-----|
| HEX4030 | Chrome Oasis® 4030 | S-3X | PR  |

#### B. Rig Lizard<sup>®</sup> Thin Lizzie™ 2090

The Rig Lizard® Thin Lizzie™ 2090 is made from a HPPE and glass fiber blend shell. It's a lightweight, form-fitting, cut-resistant glove with maximum dexterity. Like all Rig Lizard® Series gloves, the 2090 features a newly redesigned high-flex IR-X® Impact Exoskeleton™, which delivers critical back-of-hand impact protection that won't cause hand fatigue or restrict movement. This glove was built to help you perform by keeping your hands safe and comfortable all day long.

| SKU     | Description                          | Size | UOM |
|---------|--------------------------------------|------|-----|
| HEX2090 | Rig Lizard <sup>®</sup> Thin Lizzie™ | S-2X | PR  |





#### C. Rig Lizard® 2025

This rugged new addition to HexArmor's popular Rig Lizard® family of gloves, the 2025 is designed to give you more abrasion resistance, a stronger grip, and an extremely comfortable, high-dexterity impact protection system. With a palm made from our proprietary TP-X+® high-performance material, this glove delivers all the protection you need in a lightweight, comfortable glove. Purpose-built for hazardous mining, drilling, and oil and gas operations, the 2025 is tough, it's functional, and it's durable. Everything you need in a heavy-duty industrial safety glove, and more.

| SKU     | Description                           | Size | UOM |
|---------|---------------------------------------|------|-----|
| HEX2025 | Rig Lizard glove, cut level 4, impact | S-2X | PR  |

#### D. Rig Lizard® 2021

The Rig Lizard® sets a new precedent for safety gloves. HexArmor's advanced TP-X™ technology combines the unmistakable grip advantages of a synthetic palm with the scientific innovation that made HexArmor® the thought leader in PPE development. After safety supervisors across the industry helped identify common on-site hazards, anything less than our full-hand Impact Exoskeleton™ simply would not suffice. Combine these features with a pre-curve design, double palm stitch, and HexArmor's maximum-comfort fingertip design, and you've unlocked the dexterity and protection needed for optimum performance.

| SKU     | Description                           | Size | UOM |
|---------|---------------------------------------|------|-----|
| HEX2021 | Rig Lizard glove, cut level 3, impact | S-2X | PR  |





#### E. Rig Lizard® Waterproof 2029

When you asked for a glove with the highest level of dexterity without sacrificing impact protection, we listened. The Rig Lizard® sets a new precedent for safety gloves. After safety supervisors across the industry helped identify common on-site hazards, anything less than our full-hand, impact-resistant Exoskeleton™ simply would not suffice. Combine these features with a pre-curve design, double palm stitch, and our maximum-comfort fingertip design, and you've unlocked the dexterity and protection needed for optimum performance.

| SKU     | Description                        | Size | UOM |
|---------|------------------------------------|------|-----|
| HEX2029 | Rig Lizard Waterproof, cut level 3 | S-2X | PR  |



#### A. Rig Lizard Oasis™ 2022

In the most extreme work environments, the heat can be nearly unbearable. Outdated leather protective gloves often make this situation worse. Fortunately, HexArmor® listened, and is proud to offer the Rig Lizard Oasis™ 2022. They have created a unique ventilation technology, called HexVent™; an advanced nylon mesh that supports our IR-X™ Impact Exoskeleton™, so you have the distinct advantage of a lightweight, breathable glove without sacrificing any of our industry-leading smash protection. Combining this innovation with our proprietary TP-X™ synthetic high-grip palm yields the level of safety and dexterity you require. ISEA Level 3 cut and puncture protection.

| SKU     | Description            | Size | UOM |
|---------|------------------------|------|-----|
| HEX2022 | Rig Lizard Oasis glove | S-2X | PR  |





#### **B. HANDSAFE Cut Resistant Gloves**

13 gauge, high visibility yellow, cut 4 string knit shell combined with an orange foam nitrile or latex palm coating. High visibility colors certification markings imprinted on back of glove. ANSI Cut Level 4. CE Cut Level 5

| · · · · · · · · · · · · · · · · · · · |                                             |      |     |
|---------------------------------------|---------------------------------------------|------|-----|
| SKU                                   | Description                                 | Size | UOM |
| MSGC4HV0                              | HANDSAFE Nitrile Palm Coated, Hi-Vis Orange | S-2X | PR  |
| MSGC4LAT                              | HANDSAFE Latex Palm Coated, Hi-Vis Orange   | S-2X | PR  |



#### C. HANDSAFE Dorsal Impact Gloves

13 gauge, high visibility yellow, cut 4 string knit shell combined with an orange foam nitrile or latex palm coating. High visibility colors certification markings imprinted on back of glove. ANSI Cut Level 4. CE Cut Level 5

| Alter out Level 1, el out Level o |                                                    |      |     |  |  |
|-----------------------------------|----------------------------------------------------|------|-----|--|--|
| SKU                               | Description                                        | Size | UOM |  |  |
| MSGC4DP0                          | HANDSAFE Dorsal Impact Nitrile Palm, Hi-Vis Orange | S-2X | PR  |  |  |







#### D. OGRE-Impact™

The 7735 OGRE-Impact™ Glove features a hi-vis lime nylon shell, black sandy nitrile palm coating, interior foam palm padding, Kevlar® reinforced thumb crotch and Thermo-Plastic Rubber (TPR) reinforced fingers, and back of hand.

| SKU     | Description                                       | Size | UOM |
|---------|---------------------------------------------------|------|-----|
| MSG7735 | OGRE-Impact Glove, Lime Nylon Shell, Nitrile Palm | M-2X | PR  |

#### E. Premium Grain Cowhide Driver/Keystone Thumb

This driver's glove is made with premium grade leather on palm and back to provide excellent dexterity and abrasion resistance. Used in construction, machine operation, utility work, farming, roping and many other general applications. Other features include shirred elastic back and keystone thumb. Unlined.

| SKU     | Description                                           | Size | UOM |
|---------|-------------------------------------------------------|------|-----|
| MSG8235 | Premium grain cowhide driver, unlined, keystone thumb | S-XL | DZ  |





#### **Hand Protection**



#### A. Select Grain Hi-Vis Cowhide Driver Gloves With Logo

Select grain cowhide leather driver glove. Extra protection by keeping safety in mind with Hi-Vis orange at the fingertips and a Hi- Vis reminder to "WATCH YOUR HANDS". Keystone thumb is durable and allows for the best flexibility. Shirred elastic wrist and welted seams on middle fingers.

| SKU        | Description                                                | Size  | UOM |
|------------|------------------------------------------------------------|-------|-----|
| WCHE990KOT | Select Grain Cowhide Driver Gloves, Keystone Thumb, Hi-Vis | XS-3X | DZ  |

#### **B. Shoulder Split Cowhide**

Shoulder split cowhide provides excellent protection in high heat welding conditions at an affordable price. 14" length protects hands and arms from sparks and spatter. Welted fingers to protect seams from sparks, wing thumb for a natural fit and cotton lining keeps hands cool.

|           | 1 , 3                                      | 3 1  |     |
|-----------|--------------------------------------------|------|-----|
| SKU       | Description                                | Size | UOM |
| WCHE9010L | Welding Glove Shoulder Split Cowhide, Grav | L    | DZ  |







C

#### C. Top Grain Elk

Top grain elk provides the best fit and feel in high heat welding conditions. 14" length protects hands and arms from sparks and spatter. Additional layer of foam on palm and back of hand provides added heat insulation. Reinforced straight thumb provides superior grip. Welted fingers and Kevlar® thread protect seams from sparks.

| SKU      | Description                  | Size | UOM |
|----------|------------------------------|------|-----|
| WCHE9061 | Welding Gloves Top Grain Elk | S-XL | PR  |

#### D. Premium Grain Cow MIG/TIG Welder's Gloves

Top of the line welder's gloves feature premium grade cowhide leather sewn with Kevlar<sup>®</sup> thread for improved durability. 4" split leather gauntlet cuff protects wrist and forearm.

| SKU     | Description                                   | Size | UOM |
|---------|-----------------------------------------------|------|-----|
| MSG8130 | Premium grain leather MIG/TIG welding glove   | M-2X | DZ  |
| MSG8135 | Standard grain leather MIG/TIG welder's glove | S-XL | DZ  |
|         |                                               |      |     |





Ε



#### E. Sleeve Kevlar® With 18" Thumb Slot

100% Kevlar® sleeve features single-ply construction, 18-inch length and thumb slot. ANSI cut level 2: 807 grams, one size fits all

| SKU      | Description                       | UOM |
|----------|-----------------------------------|-----|
| MSG3018T | Sleeve Kevlar with 18" thumb slot | EA  |





#### A. 2112® FR 6 oz TrueComfort® Coverall

These lightweight 6 oz. coveralls are made of FR TrueComfort® fabric. They feature a 2-way collar, 2 hidden snaps at front placket, 2 patch chest pockets with flaps one piece sleeve construction, 2-1/2" cuff, snap at cuff. 2 back patch pockets, banded waist and hidden snap at waist. All of our garments are UL certified and constructed with flame resistant fabric that is made in the USA. Our line of clothing is both 2112 and 70E certified.

| SKU         | Description                                                 | Sizes* | UOM |
|-------------|-------------------------------------------------------------|--------|-----|
| FRC6NV      | 2112 FR 6 oz TrueComfort Coverall, navy blue                | S-7X   | EA  |
| FRC6GY      | 2112 FR 6 oz TrueComfort Coverall, grey                     | S-7X   | EA  |
| FRC6KH      | 2112 FR 6 oz TrueComfort Coverall, khaki                    | S-7X   | EA  |
| FRC6RB      | 2112 FR 6 oz TrueComfort Coverall, royal blue               | S-7X   | EA  |
| *Contact cu | istomer service for pricing and availability on tall sizes. |        |     |





#### B. 2112® FR 7 oz UltraSoft® Coverall

These midweight 7 oz. coveralls are made of UltraSoft<sup>®</sup> fabric. They feature a 2-way collar, 2 hidden snaps at front placket, 2 patch chest pockets with flaps one piece sleeve construction, 2-1/2" cuff, snap at cuff. 2 back patch pockets, banded waist and hidden snap at waist. All of our garments are UL certified and constructed with flame resistant fabric that is made in the USA. Our line of clothing is both 2112 and 70E certified.

| SKU                                                                  | Description                                   | Sizes* | UOM |  |  |  |  |
|----------------------------------------------------------------------|-----------------------------------------------|--------|-----|--|--|--|--|
| FRC7NV                                                               | 2112 FR 7 oz UltraSoft Coverall, navy blue    | S-7X   | EA  |  |  |  |  |
| FRC7GY                                                               | 2112 FR 7 oz UltraSoft Coverall, grey         | S-7X   | EA  |  |  |  |  |
| FRC7KH                                                               | FRC7KH 2112 FR 7 oz UltraSoft Coverall, khaki |        |     |  |  |  |  |
| FRC7RB                                                               | 2112 FR 7 oz UltraSoft Coverall, royal blue   | S-7X   | EA  |  |  |  |  |
| *Contact customer service for pricing and availability on tall sizes |                                               |        |     |  |  |  |  |

#### C. 2112® FR 9 oz Indura® Coverali

These heavyweight 9 oz. coveralls are made of Indura® fabric. They feature a 2-way collar, 2 hidden snaps at front placket, 2 patch chest pockets with flaps one piece sleeve construction, 2-1/2" cuff, snap at cuff. 2 back patch pockets, banded waist and hidden snap at waist. All of our garments are UL certified and constructed with flame resistant fabric that is made in the USA. Our line of clothing is both 2112 and 70E certified.

| SKU         | Description                                                           | Sizes* | UOM |  |  |  |  |  |
|-------------|-----------------------------------------------------------------------|--------|-----|--|--|--|--|--|
| FRC9NV      | 2112 FR 9 oz Indura Coverall, navy blue                               | S-7X   | EA  |  |  |  |  |  |
| FRC9GY      | 2112 FR 9 oz Indura Coverall, grey                                    | S-7X   | EA  |  |  |  |  |  |
| FRC9KH      | 2112 FR 9 oz Indura Coverall, khaki                                   | S-7X   | EA  |  |  |  |  |  |
| FRC9RB      | 2112 FR 9 oz Indura Coverall, royal blue                              | S-7X   | EA  |  |  |  |  |  |
| *Contact cu | *Contact customer service for pricing and availability on tall sizes. |        |     |  |  |  |  |  |



|                | Medsafe 2112 Coveralls  Measurement Tables |        |        |        |        |        |           |           |            |            |            |            |            |            |            |            |            |            |            |
|----------------|--------------------------------------------|--------|--------|--------|--------|--------|-----------|-----------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Size           | 36-S                                       | 38-S   | 40-M   | 42-M   | 44-L   | 46-L   | 48-<br>XL | 50-<br>XL | 52-<br>XXL | 54-<br>XXL | 56-<br>3XL | 58-<br>3XL | 60-<br>4XL | 62-<br>4XL | 64-<br>5XL | 66-<br>5XL | 68-<br>6XL | 70-<br>6XL | 72-<br>7XL |
| Waist-Stretch  | 39                                         | 41     | 43     | 45     | 47     | 49     | 51        | 53        | 55         | 57         | 59         | 61         | 63         | 65         | 67         | 69         | 71         | 73         | 75         |
| Chest          | 45-5/8                                     | 47-5/8 | 49-5/8 | 51-5/8 | 53-5/8 | 55-5/8 | 57-5/8    | 59-5/8    | 61-5/8     | 63-5/8     | 65-5/8     | 67-5/8     | 69-5/8     | 71-5/8     | 73-5/8     | 75-5/8     | 77-5/8     | 79-5/8     | 81-5/8     |
| Seat           | 42-1/2                                     | 44-1/2 | 46-1/2 | 48-1/2 | 50     | 52     | 54        | 55-3/4    | 57-1/2     | 59-1/2     | 61-1/4     | 63         | 65         | 66-3/4     | 68-1/2     | 70-1/2     | 72-1/4     | 74         | 75-3/4     |
| Thigh          | 25-3/4                                     | 26-7/8 | 27-7/8 | 29     | 30-1/8 | 31-1/8 | 32-1/8    | 33-1/4    | 34-1/4     | 35-3/8     | 36-3/8     | 37-3/8     | 38-1/2     | 39-5/8     | 40-5/8     | 41-3/4     | 42-3/4     | 43-3/4     | 44-3/4     |
| Inseam         | 29-1/2                                     | 29-1/2 | 29-1/2 | 29-1/2 | 29-1/2 | 29-1/2 | 29-1/2    | 29-1/2    | 29-1/2     | 29-1/2     | 29-1/2     | 29-1/2     | 29-1/2     | 29-1/2     | 29-1/2     | 29-1/2     | 29-1/2     | 29-1/2     | 29-1/2     |
| Shoulder Width | 18                                         | 18-3/4 | 19-1/2 | 20-1/4 | 21     | 21-3/4 | 22-1/2    | 23-1/4    | 24         | 24-3/4     | 25-1/2     | 26-1/4     | 27         | 27-3/4     | 28-1/2     | 29-1/4     | 30         | 30-3/4     | 31-1/2     |
| Sleeve Length  | 32-3/4                                     | 33-1/4 | 33-3/4 | 34-1/4 | 34-3/4 | 35-1/4 | 35-3/4    | 36-1/4    | 36-3/4     | 37-1/4     | 37-3/4     | 38-1/4     | 38-3/4     | 39-1/4     | 39-3/4     | 40-1/4     | 40-3/4     | 41-1/4     | 41-3/4     |
| Trunk          | 70-3/4                                     | 71-1/2 | 72-1/4 | 73     | 73-3/4 | 74-1/2 | 75-1/4    | 76        | 76-3/4     | 77-1/2     | 78-1/4     | 79         | 79-3/4     | 80-1/2     | 81-1/4     | 82         | 82-3/4     | 83-1/2     | 84-1/4     |
| Knee           | 21                                         | 21-1/2 | 22-1/4 | 23     | 23-1/2 | 24-1/4 | 24-3/4    | 25-1/2    | 26-1/4     | 27         | 27-3/4     | 28-1/4     | 28-3/4     | 29-1/2     | 30-1/4     | 31         | 31-3/4     | 32-1/2     | 33-1/4     |
| Hem Bottom     | 19-1/4                                     | 19-1/2 | 19-3/4 | 20     | 20-1/4 | 20-1/2 | 20-3/4    | 21        | 21-1/4     | 21-1/2     | 21-3/4     | 22         | 22-1/4     | 22-1/2     | 22-3/4     | 23         | 23-1/4     | 23-1/2     | 23-3/4     |
| Cuff           | 9-1/2                                      | 9-3/4  | 10     | 10-1/4 | 10-1/2 | 10-3/4 | 11        | 11-1/4    | 11-1/2     | 11-3/4     | 12         | 12-1/4     | 12-1/2     | 12-3/4     | 13         | 13-1/4     | 13-1/2     | 14-3/4     | 15         |



#### **FR Clothing**

#### Westex TrueComfort<sup>®</sup>







A





#### A. 2112® FR 6 oz TrueComfort® Shirt

Built to withstand the toughest environments, the 2112 line of Flash Fire & Arc Flash Protective Clothing from Medsafe offers comprehensive protection in some of the world's most dangerous work environments. These lightweight 6 oz. shirts are made of FR TrueComfort® fabric. All of our garments are UL certified and constructed with flame resistant fabric that is made in the USA. Our line of clothing is both 2112 and 70E certified.

| •      |                                              |       |     |  |  |  |  |  |  |  |
|--------|----------------------------------------------|-------|-----|--|--|--|--|--|--|--|
| SKU    | Description                                  | Sizes | UOM |  |  |  |  |  |  |  |
| FRS6NV | 2112® FR 6 oz TrueComfort® shirt, navy blue  | M-6X  | EA  |  |  |  |  |  |  |  |
| FRS6KH | 2112® FR 6 oz TrueComfort® shirt, khaki      | M-6X  | EA  |  |  |  |  |  |  |  |
| FRS6GY | 2112® FR 6 oz TrueComfort® shirt, grey       | M-6X  | EA  |  |  |  |  |  |  |  |
| FRS6RB | 2112® FR 6 oz TrueComfort® shirt, royal blue | M-6X  | EA  |  |  |  |  |  |  |  |

#### B. 2112® FR 7 oz UltraSoft® Shirt

Built to withstand the toughest environments, the 2112 line of Flash Fire & Arc Flash Protective Clothing from Medsafe offers comprehensive protection in some of the world's most dangerous work environments. These midweight 7 oz. shirts are made of UltraSoft® fabric. All of our garments are UL certified and constructed with flame resistant fabric that is made in the USA. Our line of clothing is both 2112 and 70E certified.

| SKU    | Description                                  | Sizes | UOM |
|--------|----------------------------------------------|-------|-----|
| FRS7NV | 2112® FR 6 oz TrueComfort® shirt, navy blue  | M-6X  | EA  |
| FRS7KH | 2112® FR 6 oz TrueComfort® shirt, khaki      | M-6X  | EA  |
| FRS7GY | 2112® FR 6 oz TrueComfort® shirt, grey       | M-6X  | EA  |
| FRS7RB | 2112® FR 6 oz TrueComfort® shirt, royal blue | M-6X  | EA  |















6





Available Colors

#### C. 2112® Tecasafe Plus 5.8 oz FR Shirt

2112® Tecasafe Plus 5.8 oz shirt is engineered with an inherently FR fabric to provide electric arc and flash fire protection that lasts twice as long as FR treated cotton fabrics. It's soft and lightweight fabric provides unmatched comfort and it is designed to provide superior moisture management because of special cellulosic fiber content. Fabric Exceeds NFPA 70E HRC 1 and NFPA 2112 performance standards.

| SKU       | Description                              | Sizes | UOM |
|-----------|------------------------------------------|-------|-----|
| FRS5TENNV | Tecasafe Plus 5.8 oz FR shirt, navy blue | M-6X  | EA  |
| FRS5TENKH | Tecasafe Plus 5.8 oz FR shirt, khaki     | M-6X  | EA  |

| Medsafe 2112 Shirts  Measurement Tables |        |        |        |        |        |        |        |        |        |        |      |
|-----------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|
| Size                                    | XS     | s      | М      | L      | XL     | 2X     | 3X     | 4X     | 5X     | 6X     | Long |
| Neck Button Top BH                      | 13-3/4 | 14-1/2 | 15-1/4 | 16     | 17-1/4 | 18-1/2 | 19-3/4 | 20-1/2 | 21-1/4 | 22     |      |
| Across Shoulder                         | 16-1/2 | 18     | 19-1/2 | 21     | 22-1/2 | 24     | 25-1/2 | 27     | 28-1/2 | 30     |      |
| Sleeve Length CBN                       | 33-3/4 | 34-1/4 | 34-3/4 | 35-1/4 | 35-3/4 | 36-1/4 | 36-3/4 | 37-1/4 | 37-3/4 | 38-1/4 | .+1" |
| Cuff Closed                             | 8      | 8-1/2  | 8-1/2  | 9-1/2  | 9-1/2  | 10-1/2 | 10-1/2 | 11-1/2 | 11-1/2 | 12     |      |
| Upperarm @ Armhole                      | 18-3/4 | 19-3/4 | 20-3/4 | 21-3/4 | 22-3/4 | 23-3/4 | 24-3/4 | 25-3/4 | 26-3/4 | 27-3/4 |      |
| Chest @ Armhole                         | 38     | 42     | 46     | 50     | 54     | 58     | 62     | 66     | 70     | 74     |      |
| Waist @ Narrowest Point                 | 39     | 43     | 47     | 51     | 55     | 59     | 63     | 67     | 71     | 75     |      |
| Sweep                                   | 41-1/2 | 45-1/2 | 49-1/2 | 53-1/2 | 57-1/2 | 61-1/2 | 65-1/2 | 69-1/2 | 73-1/2 | 77-1/2 |      |
| Center Back Length                      | 32-3/4 | 33-1/4 | 33-3/4 | 34-1/4 | 34-3/4 | 35-1/4 | 35-3/4 | 35-3/4 | 36-1/4 | 36-1/4 | .+2" |





#### A. Wrangler® Original Fit FR Jean

Wrangler® Original Fit Jean. Authentic five pocket styling. 100% cotton heavyweight broken twill denim. Meets NFPA 2112 requirements. NFPA 70E, HRC 2

| SKU    | Description          | Size: Waist | UOM |   |
|--------|----------------------|-------------|-----|---|
| VEER13 | Original Fit FR Jean | 30-42       | FΔ  | ı |





#### **B. Wrangler® Relaxed Fit FR Jean**

Wrangler® Relaxed Fit Jean. Authentic five pocket styling. Utility pocket. Gusset. 100% cotton heavyweight broken twill denim. Meets NFPA 2112 requirements. NFPA 70E, HRC 2

| SKU    | Description         | Size: Waist | UOM |
|--------|---------------------|-------------|-----|
| VFFR31 | Relaxed Fit FR Jean | 30-42       | EA  |

#### C. Riggs Workwear® By Wrangler® FR Carpenter Jean

Wrangler FR® garments are designed to self-extinguish preventing or greatly reducing the severity of burn injuries. Wrangler® FR products were created to meet the rigorous requirements of the major protecton agencies. Carpenter pant with exclusive room2move™ Fit: Improved fit in the seat, thigh, knee and bottom leg opening. Action gusset for ease of movement. Features: 14.5 oz. 100% Cotton FR Denim; Triple Needle Stitching; Extra Deep 13" FR Treated Front Pockets; Reinforced Back Pockets; Oversized Watch Pocket; Right Side Hammer Loop; Tool Pocket Detail; Safety Orange Outside ID for High Visibility. Meets NFPA 2112 requirements. NFPA 70E. HRC 2

| SKU    | Description       | Size: Waist | UOM |  |  |  |  |
|--------|-------------------|-------------|-----|--|--|--|--|
| VFFR33 | FR Carpenter Jean | 30-40       | EA  |  |  |  |  |





### carhari

#### D. Carhartt® 11.75 oz FR Cotton Relaxed Fit Jean

Carhartt's flame-resistant relaxed fit jean is garment washed for softness. Made of 11.75-ounce, 100% cotton flame-resistant denim, it'sits slightly below the waist, is relaxed-fitting seat and thigh, arc-resistant button closure at waist, brass zipper fly with Nomex® zipper tape. It also has reinforced back pockets, double-stitched main seams and leg openings that fit over boots.

| Meets NFPA | 2112 r | eauirements. | NFPA | 70E. HRC 2 |  |
|------------|--------|--------------|------|------------|--|

| SKU    | Description                         | Size: Waist | UOM |
|--------|-------------------------------------|-------------|-----|
| CTP100 | FR 11.75 oz Cotton Relaxed Fit Jean | 30-54       | EA  |



#### **Foot Protection**





#### A. Men's Timberland PRO® Rigmaster 8" Steel Toe WP Boot

Rigmaster is from Timberland's series of industrial traction workboots. Engineered specifically to provide workers in the oil and gas industries with exceptional slip resistance, this polyure-thane outsole has triangular-shaped lugs in a multi-directional pattern for a mechanical grip. Features include: waterproof full-grain leather with waterproof membrane, Goodyear® Welt Cast-Bond™ construction for a durable chemical and mechanical bond, TiTAN® steel toe for a roomy fit, anti-fatigue conical midsole geometry, featuring polyurethane material, mesh lining with Agion® anti-microbial treatment, contoured single-density OrthoLite® footbed, quick-release hardware, aggressive tread design features triangular lock lugs that provide maximum traction, sole is oil-, heat-, and abrasion-resistant and features Ladder Lock™ outsole radius.

| SKU      | Description                                    | UOM |
|----------|------------------------------------------------|-----|
| TIM95553 | Rigmaster 8" lace-up, brown leather, steel toe | PR  |

#### B. Men's Timberland PRO® Helix 6" WP Safety Toe

The Titan 85594 Helix 6" lace-up is made with a rugged full-grain waterproof leather and waterproof membrane. It has a Titan® alloy safety toe for lightweight protection and roomy fit. Other features include mesh lining with Agion® anti-microbial treatment, contoured single-density open-cell polyurethane footbed, anti-fatigue technology with conical midsole geometry, and molded EVA midsole for lightweight cushioned comfort.

| SKU      | Description                                 | UOM |
|----------|---------------------------------------------|-----|
| TIM85594 | Titan® 6" lace-up, brown leather, steel toe | PR  |





#### C. Timberland PRO® AG Boss Pull-on

The Timberland PRO AG Boss Pull-on features premium waterproof full grain distressed leather uppers and lightweight alloy safety toe. Classic western combination three-quarter Goodyear welt and cement lasted heel. Coolmax thermoregulation technology lining, Timberland Smart Comfort medial shaft expansion seam for easy on/off and mesh lining with antimicrobial treatment for odor control. Allow safety toe in square shape for lightweight protection. Four row stitching for durability. Heavy duty fiberglass shank for stability and ladder support and Dual-Density Dynamic Anti-Fatigue Technology.

| SKU      | Description                    | UOM |
|----------|--------------------------------|-----|
| TIM91636 | Timberland PRO AG Boss Pull-on | PR  |

#### D. PVC 16" Steel Toe Boot

16" high boot features one piece construction,100% waterproof, treaded soles for slip resistant comfort and with the added protection of steel toe cap and steel toe cap meets or exceeds ASTM F2412-11; I/75 and C/75.

| SKU      | Description                   | Size | UOM |
|----------|-------------------------------|------|-----|
| MSF9258B | Boot PVC 16" steel toe, black | 5-14 | PR  |





#### E. Tiger Grip® Visitor's Toe-Cap

Visitor is a safety toe-cap overshoe made to protect visitors to industrial sites against crushed toes and impacts. Visitor's toe-cap is made of aluminum/titanium alloy ( 50% lighter, but as resistant as steel ). With its Tiger Grip® anti-slip technology sole, you will easily walk on wet or greasy surfaces

| SKU    | Description                  | Size | UOM |
|--------|------------------------------|------|-----|
| TGRVIS | Tiger Grip Visitor's Toe-Cap | S-XL | PR  |



#### **Rainwear**



#### A. Classic PVC/Poly Rainwear

This 3-piece suit consists of bibbed pants, jacket and detachable hood in a bright safety yellow color. The suit is comfortable and durable and constructed of .35mm PVC layered to a polyester fabric. It is versatile enough for indoor and outdoor applications.

| SKU     | Description                             | Size | UOM |
|---------|-----------------------------------------|------|-----|
| MSR2003 | Classic PVC/poly, 3-piece suit, yellow  | M-6X | EA  |
| MSR200C | Classic PVC/poly, coat and hood, yellow | S-6X | EA  |





#### **B. Classic Plus Black Raincoat**

This 49" raincoat with detachable hood is constructed from .35mm PVC layered to a polyester fabric. It features a corduroy lined collar and vented back for comfort. Two reach through pockets provide convenience for the wearer and the coat also includes a badge tab. This versatile raincoat can be used for indoor or outdoor applications.

| SKU     | Description                     | Size | UOM |
|---------|---------------------------------|------|-----|
| MSR247C | Classic Plus 49" black raincoat | S-5X | EA  |

#### C. Wizard Limited FR Rainwear With Detachable Hood

These rain suits are versatile and can be used in many applications. The rain suits are constructed of a double coated PVC over 210 denier nylon. The clothing also has a special material that helps to prevent rips, snags and tears. Flame-retardant coating providing added protection to the wearer.

| SKU     | Description                                     | Size | UOM |  |
|---------|-------------------------------------------------|------|-----|--|
| MSR3003 | Wizard limited FR rainwear with detachable hood | S-5X | EA  |  |





#### D. Classic Plus Series 60" Limited FR Coat With Silver Reflective Stripes

The FR467CR black 60" long, 0.35mm PVC/polyester coat with welded seams features a black plastic snap storm fly front, black plastic take up snaps at the wrists, detachable hood, 2" reflective stripe above hem of coat and 2" reflective stripes around torso and arm sleeves. Limited flammability ASTM D6413 Standard.

| SKU        | Description                                                            | Size | UOM |  |
|------------|------------------------------------------------------------------------|------|-----|--|
| MSRFR267CR | Classic Plus Series 60" limited FR coat with silver reflective stripes | M-5X | EA  |  |



#### **Eye Protection**





#### A. Crossfire® ES4

Designed for all environments, the ES4 features an adjustable nosepiece, ultralight frame, and 100% visually correct lenses. Meets ANSI Z87+standards.

| SKU     | Description             | Lens                    | UOM |
|---------|-------------------------|-------------------------|-----|
| CF2123  | ES4 Shiny Black Frame   | Silver Mirror           | PR  |
| CF2141  | ES4 Crystal Black Frame | Smoke                   | PR  |
| CF21427 | ES4 Crystal Black Frame | Silver Mirror Polarized | PR  |

#### B. Crossfire® ES5

Designed for outdoor sports, the ES5 provides a polished style and is similar in design to Maui Jim. The sleek framework provides substantial coverage for a variety of environments. Meets ANSI 787+standards.

| 711101 207 1 0 | Alver 2011 oldinadido. |                    |     |  |
|----------------|------------------------|--------------------|-----|--|
| SKU            | Description            | Lens               | UOM |  |
| CF2968         | ES5 Black Frame        | Blue Mirror        | PR  |  |
| CF29117        | ES5 Brown Frame        | Brown Flash Mirror | PR  |  |
| CF291113       | ES5 Brown Frame        | Brown Polarized    | PR  |  |





#### C. Crossfire® Infinity

The full frame Infinity joins the list of one of top selling designs. The comfortable fit is easy wear all day and is offered in various options including polarized. Similar in comparison to Ray Ban. Meets ANSI Z87+standards.

| SKU    | Description                 | Lens        | UOM |
|--------|-----------------------------|-------------|-----|
| CF241  | Infinity black frame        | Smoke       | PR  |
| CF2812 | Infinity orange/black frame | Gold Mirror | PR  |

#### D. Crossfire® Core

The Core is among the top selling safety glasses for its performance in fit, function and style. This style is supported by a variety of lens choices as it performs well in outdoor and indoor use. Meets ANSI Z87+standards.

| SKU     | Description           | Lens  | UOM |
|---------|-----------------------|-------|-----|
| CF18146 | Core brown camo frame | Brown | PR  |
| CF18171 | Core green camo frame | Smoke | PR  |





#### E. Crossfire® AR3

Designed for all environments, the AR3 features an adjustable nosepiece, ultralight frame, and 100% visually correct lenses.

| SKU     | Description          | Lens        | UOM |
|---------|----------------------|-------------|-----|
| CF16144 | AR3 Brown Camo Frame | Clear       | PR  |
| CF16278 | AR3 White Frame      | Blue Mirror | PR  |

#### F. Bausch & Lomb Fog Shield XP™

10

The Fog Shield XP™ Lens Cleaning Station combines effective cleaning and anti-fog protection. The extra heavy-duty corrugate construction is specially designed to withstand industrial conditions. The compact size and high tissue count make it perfect for high traffic areas and low maintenance programs. Front access allows for easy hanging in tight corners and dispensing from countertops with minimal space required. Contains anti-fog cleaning solution with silicone and tissues (1520 qty) (4-3/4" x 6-1/2"). Station dimensions 7-1/2" x 10" x 5-1/4".

| SKU    | Description                  |    |
|--------|------------------------------|----|
| BL8577 | Fog Shield™ Cleaning Station | EA |
| BL77   | Fog Shield™ solution, 12 oz  | EA |





#### A. Mirage™

Economical dual wraparound 9.75 base lens provides near perfect orbital seal. Sleek design allows for a perfect fit for both men and women, ensuring worker acceptance. Weighs less than 1 ounce. Lenses provide 99.9% UVA and UVB protection. Scratch-resistant hard coat protects lens and maintains optically correct and distortion free use. Meets ANSI Z87.1-2003 eyewear requirements as high impact protectors.

| SKU         | Description  | Temple | Lens            | UOM |
|-------------|--------------|--------|-----------------|-----|
| RADMR0110ID | Mirage       |        | Clear           | PR  |
| RADMR0111ID | Mirage       |        | Clear anti-fog  | PR  |
| RADMR0120ID | Mirage       |        | Smoke           | PR  |
| RADMR0121ID | Mirage       |        | Smoke anti-fog  | PR  |
| RADMR0140ID | Mirage       |        | Amber           | PR  |
| RADMR01B0ID | Mirage       |        | Light Blue      | PR  |
| RADMR0160ID | Mirage       |        | Silver mirror   | PR  |
| RADMR0190ID | Mirage       |        | Indoor/outdoor  | PR  |
| RADMR0191ID | Mirage       |        | In/Out anti-fog | PR  |
| RADMR01R0ID | Mirage       |        | Rainbow mirror  | PR  |
| RADMRS110ID | Mirage small |        | Clear           | PR  |
| RADMRS190ID | Mirage small |        | Indoor/outdoor  | PR  |

#### **Eye Protection**





#### B. Rad-Sequel™

Rubber tipped temples provide a secure fit. The soft, rubber nosepiece provides all day comfort. Features a lightweight design that provides a comfortable fit. While the polycarbonate lens provides impact resistance. Meets ANSI Z87.1+ standards and provides 99.9% UVA & B protection.

| · ·      |             |                |     |
|----------|-------------|----------------|-----|
| SKU      | Description |                | UOM |
| RADRS110 | Rad-Sequel  | Clear          | PR  |
| RADRS111 | Rad-Sequel  | Clear anti-fog | PR  |
| RADRS120 | Rad-Sequel  | Smoke          | PR  |
| RADRS1B  | Rad-Sequel  | Light blue     | PR  |
| RADRS190 | Rad-Sequel  | Indoor/outdoor | PR  |
| RADRS160 | Rad-Sequel  | Silver mirror  | PR  |
| RADRS170 | Rad-Seguel  | Blue mirror    | PR  |

#### C. Cheaters™ Bifocal Safety Glasses with Ratchet Temples

Reading safety glasses with lightweight nylon frame. Combines protective safety glasses with reading glasses. Cushioned, non-slip rubber temple pads for superior comfort. 5-Point ratcheting temples allows user to adjust bifocals for an optimal fit. Magnification diopter is molded into the polycarbonate lens that block 99.9% UV rays. High tech vented rubber nosepiece. Free protective eyeglass sleeve included. Meets ANSI Z87.1-2003 eyewear requirements as high-impact protectors.

| SKU        | Description | Lens               | UOM |
|------------|-------------|--------------------|-----|
| RADCH1-110 | Cheaters    | 1.0 Clear          | PR  |
| RADCH1-115 | Cheaters    | 1.5 Clear          | PR  |
| RADCH1-120 | Cheaters    | 2.0 Clear          | PR  |
| RADCH1-125 | Cheaters    | 2.5 Clear          | PR  |
| RADCH1-130 | Cheaters    | 3.0 Clear          | PR  |
| RADCH1-215 | Cheaters    | 1.5 Smoke          | PR  |
| RADCH1-220 | Cheaters    | 2.0 Smoke          | PR  |
| RADCH1-225 | Cheaters    | 2.5 Smoke          | PR  |
| RADCH1-915 | Cheaters    | 1.5 Indoor/outdoor | PR  |
| RADCH1-920 | Cheaters    | 2.0 Indoor/outdoor | PR  |
| RADCH1-925 | Cheaters    | 2.5 Indoor/outdoor | PR  |





#### D. Safety Optical Service® Side Shields

SafetyWing<sup>™</sup> protects orbital area from lacerations and fractures. Engineered to easily adjust and attach to small medium and large frames. Optional Comfort Cushions absorb shock and greatly reduce foreign body injuries. Molded from impact resistant Polycarbonate. Certified compliant by 3rd party independent testing to ANSI Z-87.1.

| SKU         | Description                                      | UOM   |
|-------------|--------------------------------------------------|-------|
| SAFOCP52/26 | Compliance Safepack™Plus (10 of B52+, 10 of 26+) | 20/BX |
| SAFOB26     | B26+ sideshields                                 | 20/BX |
| SAF0B52+    | B52+ sideshields                                 | 20/BX |



11

#### **Eye Protection**



#### A. Pyramex I-Force

Sporty, lightweight design eliminates the bulkiness and weight of a goggle. The outside and inside of the lens is coated with H2X™ Anti-fog Technology for even more resistance to fogging, due to extreme temperatures. Vented foam carriage provides maximum dust protection, as well as a sufficient airflow outlet for heat. Lenses provide 99% protection against harmful UV rays. Exceeds ANSI/ISEA Z87.1, meets MCEP GL-PD 10-12 Ballistic Standards. Meets CAN/CSA Z94.3-07 Standards, CE EN166 Certified.

| SKU          | Description                              | UOM |
|--------------|------------------------------------------|-----|
| PYRSB7010SDT | I-Force Eyewear Anti-Fog Clear Lens      | EA  |
| PYRSB7020SDT | I-Force Eyewear Anti-Fog Gray Lens       | EA  |
| PYRSB7030SDT | I-Force Eyewear Anti-Fog Amber Lens      | EA  |
| PYRSB7080SDT | I-Force Eyewear Anti-Fog In/Outdoor Lens | EA  |



#### B. Mirage™ Foam

Foam lined safety eyewear designed to block debris, airborne particles and eye irritants. Features:

• Closed cell foam construction for extra protection from debris

PYRSB7020SDT

- Full wraparound frame allows for unobstructed peripheral vision
- Foam lined pockets/vents provide extra fog control
- Polycarbonate lens provides impact protection

| SKU         | Description | Frame          | Lens           | UOM |
|-------------|-------------|----------------|----------------|-----|
| RADMRF111ID | Mirage Foam | Clear          | Clear          | PR  |
| RADMRF121ID | Mirage Foam | Smoke          | Smoke          | PR  |
| RADMRF191ID | Mirage Foam | Indoor/Outdoor | Indoor/Outdoor | PR  |





#### C. Uvex Livewire™ Sealed Eyewear

Uvex Livewire delivers the fit, performance and protection required in extreme environments, protecting workers against intense wind, sun, dirt, dust and debris, as well as high heat and humidity. Uvex Livewire features Uvextreme Plus® anti-fog lens coating for superior, long-lasting fog-free vision that lasts up to 10X longer, and provides 2X better scratch-resistance than competitive antifog coated products, with a simple temple-to-headband exchange system that makes switching between temples or headband quick and easy

| SKU     | Description                  | Lens                         | UOM |
|---------|------------------------------|------------------------------|-----|
| S2600XP | Uvex Livewire sealed eyewear | Clear Uvextreme Plus AF      | PR  |
| S2601XP | Uvex Livewire sealed eyewear | Espresso Uvextreme Plus AF   | PR  |
| S2602XP | Uvex Livewire sealed eyewear | Amber Uvextreme Plus AF      | PR  |
| S2604XP | Uvex Livewire sealed eyewear | SCT-Ref 50 Uvextreme Plus AF | PR  |

#### D. Uvex Stealth™

12

The Uvex Stealth™ has a unique lens system that allows for quick and simple replacement. Uvex Stealth's combination of lightweight comfort, low profile, and futuristic good looks affords superior protection and meets industry standards. The remarkable indirect ventilation system channels and directs air flow over the lens. The quick—adjust headband clips permit fast and easy fitting even on hardhats. Once adjusted the textured headband grip will not slip. Toric lens provide superior optics and peripheral vision. Rx insert available. Meets ANSI Z87+ and CSA Z94.3 standards.

| SKU    | Description                            | UOM   |
|--------|----------------------------------------|-------|
| S3960C | Uvex Stealth goggles w/ clear lens XTR | EA    |
| S3961C | Uvex Stealth goggles w/ gray lens XTR  | EA    |
| S700C  | Clear replacement lens                 | EA    |
| S701C  | Gray replacement lens                  | EA    |
| S823   | Replacement fabric headband            | 25/PK |





#### A. V-Gard® Standard Hard Caps

These MSA hard hats are the number one hard hat for most industrial applications. The shell is made with a durable injection-molded, high-density polyethylene. These MSA hard hats are available with the Fas-Trac® or Staz-On® suspension for superior head protection. In addition, this MSA cap is designed with an accessories slot to accommodate many add-on features and also includes a Cushionaire™ sweatband and adjustable crown straps. Complies with ANSI/ISEA Z89.1-2009 (Class E) standards for a Type I (top impact) helmet.

|            | ,                      | J1 ( 1 1 / |               |     |
|------------|------------------------|------------|---------------|-----|
| SKU        | Description            | Suspension | Color         | UOM |
| MSA463942  | Standard V-Gard        | Staz-On    | White         | EA  |
| MSA463943  | Standard V-Gard        | Staz-On    | Blue          | EA  |
| MSA463944  | Standard V-Gard        | Staz-On    | Yellow        | EA  |
| MSA463945  | Standard V-Gard        | Staz-On    | Orange        | EA  |
| MSA463946  | Standard V-Gard        | Staz-On    | Green         | EA  |
| MSA463947  | Standard V-Gard        | Staz-On    | Red           | EA  |
| MSA488148  | Standard V-Gard        | Staz-On    | Hi-Viz Orange | EA  |
| MSA815558  | Standard V-Gard        | Staz-On    | Hi-Viz Green  | EA  |
| MSA475358  | Standard V-Gard        | Fas-Trac   | White         | EA  |
| MSA475359  | Standard V-Gard        | Fas-Trac   | Blue          | EA  |
| MSA475360  | Standard V-Gard        | Fas-Trac   | Yellow        | EA  |
| MSA475361  | Standard V-Gard        | Fas-Trac   | Orange        | EA  |
| MSA475362  | Standard V-Gard        | Fas-Trac   | Green         | EA  |
| MSA475363  | Standard V-Gard        | Fas-Trac   | Red           | EA  |
| MSA475364- | Standard V-Gard        | Fas-Trac   | Gray          | EA  |
| MSA488146  | Standard V-Gard        | Fas-Trac   | Hi-Viz Orange | EA  |
| MSA454230  | Replacement suspension | Staz-On    |               | EA  |
| MSA473332  | Replacement suspension | Fas-Trac   |               | EA  |

#### **Head Protection**





#### **B. V-Gard® Full Brim Hard Hats**

The V-Gard Protective Hard Hat utilizes a full brim to provide optimum coverage and protection. These MSA hard hats come with the Staz-On® and Fas-Trac® suspension.Complies with ANSI/ISEA Z89.1-2009 (Class E) standards for a Type I (top impact) helmet.



| SKU         | Description            | Suspension | Color         | UOM |
|-------------|------------------------|------------|---------------|-----|
| MSA454730   | Full brim              | Staz-On    | Yellow        | EA  |
| MSA454731   | Full brim              | Staz-On    | Gray          | EA  |
| MSA454732   | Full brim              | Staz-On    | Blue          | EA  |
| MSA454733   | Full brim              | Staz-On    | White         | EA  |
| MSA454734   | Full brim              | Staz-On    | Orange        | EA  |
| MSA454735   | Full brim              | Staz-On    | Green         | EA  |
| MSA454736   | Full brim              | Staz-On    | Red           | EA  |
| MSA489360   | Full brim              | Staz-On    | Hi-Viz Orange | EA  |
| MSA815562   | Full brim              | Staz-On    | Hi-Viz Green  | EA  |
| MSA475366   | Full brim              | Fas-Trac   | Yellow        | EA  |
| MSA475367   | Full brim              | Fas-Trac   | Gray          | EA  |
| MSA475368   | Full brim              | Fas-Trac   | Blue          | EA  |
| MSA475369   | Full brim              | Fas-Trac   | White         | EA  |
| MSA475370   | Full brim              | Fas-Trac   | Green         | EA  |
| MSA475371   | Full brim              | Fas-Trac   | Red           | EA  |
| MSA814053   | Full brim              | Fas-Trac   | Gold          | EA  |
| MSA10021292 | Full brim              | Fas-Trac   | Hi-Viz Orange | EA  |
| MSA815570   | Full brim              | Fas-Trac   | Hi-Viz Green  | EA  |
| MSA454230   | Replacement suspension | Staz-On    |               | EA  |
| MSA473332   | Replacement suspension | Fas-Trac   |               | EA  |

#### **C. V-Gard Frames**


This frame works with any MSA slotted or non-slotted helmet and features our unique sloped design to help material slide off the frame and out of site. Can be used with earmuffs, half-mask respirators and other personal protective equipment. Stays securely on the cap, thanks to the heavy-duty, flat, rubber strap. The elevated temperature model withstands temps up to 350°F (176°C). Each frame meets the applicable requirements for ANSI/ISEA Z87.1-2010

| SKU         | Description                                                      | UOM |
|-------------|------------------------------------------------------------------|-----|
| MSA10115730 | V-Gard Frame for MSA slotted caps, with debris control           | EA  |
| MSA10116627 | V-Gard Frame for MSA slotted full brim hats, with debris control | EA  |
| MSA10115836 | V-Gard visor polycarbonate clear                                 | EA  |









#### A. SUPEREIGHT® High Performance Hats and Caps

Fibre-Metal's technologically advanced thermoplastic safety hats and caps are the quality leader in head protection. They combine exceptional protective performance with extraordinary comfort to reduce risk and improve productivity. The unique, smooth crown design eliminates the risk of an impacting object being trapped by ribs, ridges or slots. All hats and caps include an 8-point suspension. Model E-1W full brim hat provides protection from the sun, non-toxic splash, dust, dirt and debris. Models E-1 and E-2 are SEI certifies to meet ANSI Z89.1, Type 1, Class E, G or C.


| SKU         | Description           | Suspension | Color  | UOM |
|-------------|-----------------------|------------|--------|-----|
| FIBE2QRWGRY | Hard hat w/quick-lock | Ratchet    | Grey   | EA  |
| FIBE2QRWG   | Hard hat w/quick-lock | Ratchet    | Green  | EA  |
| FIBE2QRWR   | Hard hat w/quick-lock | Ratchet    | Red    | EA  |
| FIBE1RWW    | Full brim hat         | Ratchet    | White  | EA  |
| FIBE1RWBE   | Full brim hat         | Ratchet    | Blue   | EA  |
| FIBE1RWGY   | Full brim hat         | Ratchet    | Grey   | EA  |
| FIBE1RWG    | Full brim hat         | Ratchet    | Green  | EA  |
| FIBE1RWR    | Full brim hat         | Ratchet    | Red    | EA  |
| FIBE2RWW    | Hard cap              | Ratchet    | White  | EA  |
| FIBE2RWGRY  | Hard cap              | Ratchet    | Grey   | EA  |
| FIBE2RWGR   | Hard cap              | Ratchet    | Green  | EA  |
| FIBE2RWR    | Hard cap              | Ratchet    | Red    | EA  |
| FIBE2RWY    | Hard cap              | Ratchet    | Yellow | EA  |

#### **B. SUPEREIGHT® Heavy-Duty Fiberglass Caps**

Fibre-Metal Roughneck caps with the SuperEight® suspension are the industry standard for heavy duty protection. The Roughneck P2 series of injection-molded fiberglass caps have earned a solid reputation on construction sites, in steel plants, foundries, forges, fabrication shops, chemical plants and other extreme jobsite environments.

| SKU          | Description           | Suspension    | Color | UOM |
|--------------|-----------------------|---------------|-------|-----|
| FIBP2QRWB    | Hard hat w/quick-lock | Ratchet       | Blue  | EA  |
| FIBP2QRWG    | Hard hat w/quick-lock | Ratchet       | Grey  | EA  |
| FIBP2QRWGR   | Hard hat w/quick-lock | Ratchet       | Green | EA  |
| FIBP2QRWR    | Hard hat w/quick-lock | Ratchet       | Red   | EA  |
| FIBP2QRWW    | Hard hat w/quick-lock | Ratchet       | White | EA  |
| FIBP2QSWBLUE | Hard hat w/quick-lock | Swingstrap    | Blue  | EA  |
| FIBP2QSWGRAY | Hard hat w/quick-lock | Swingstrap    | Grey  | EA  |
| FIBP2QSWRED  | Hard hat w/quick-lock | Swingstrap    | Red   | EA  |
| FIBP2QSWW    | Hard hat w/quick-lock | Swingstrap    | White | EA  |
| FIBP2RW/RED  | Hard hat              | Ratchet       | Red   | EA  |
| FIBP2RWB     | Hard hat              | Ratchet       | Blue  | EA  |
| FIBP2RWG     | Hard hat              | Ratchet       | Grey  | EA  |
| FIBP2RWGR    | Hard hat              | Ratchet       | Green | EA  |
| FIBP2RWW     | Hard hat              | Ratchet       | White | EA  |
| FIBP2SWB     | Hard hat              | Swing ratchet | Blue  | EA  |
| FIBP2SWGR    | Hard hat              | Swing ratchet | Grey  | EA  |
| FIBP2SWR     | Hard hat              | Swing ratchet | Red   | EA  |





#### **C. Bullard Faceshield Brackets**

The Bullard Gold Line® brackets are constructed from rugged, gold anodized aluminum. They are highly resistant to corrosion and heat and are ideal for chemical handling and high-heat industrial applications.

| SKU     | Description              | Type | UOM |
|---------|--------------------------|------|-----|
| BUL100G | Aluminum bracket for S61 | Cap  | EA  |
| BUL112G | Aluminum bracket for S71 | Hat  | EA  |

#### **D. Replacement Visors**

14

Quality replacement visor selection, standard and ANSI Z87+.

| duality replacement vices colociton, standard and river zer in |                                                                   |     |  |  |
|----------------------------------------------------------------|-------------------------------------------------------------------|-----|--|--|
| SKU                                                            | Description                                                       | UOM |  |  |
| MSS22644                                                       | Polycarbonate clear visor 8" X 15-1/2" X 0.040 meets ANSI Z87+    | EA  |  |  |
| MSS22667                                                       | Dark green visor 8" X 15-1/2" X 0.040 meets ANSI Z87+             | EA  |  |  |
| MSS22699                                                       | Clear visor 8" X 15-1/2" X 0.040 meets basic impact standard only | EA  |  |  |





Web: www.gosafe.com • Phone: (800)330-9240 • Fax: (281)476-5394



#### A. BrimGuard™

BrimGuard™ is the latest development in PPE providing color coding for work group identification for full brim hard hats. The patented seal ensures a secure fit. BrimGuard™ is stretched over and fits snugly around the brim without adhesives or glue.

|           | **                                                     |     |
|-----------|--------------------------------------------------------|-----|
| SKU       | Description                                            | UOM |
| BRMBGD110 | BrimGuard Day Work - Silver                            | EA  |
| BRMBGD210 | BrimGuard Day Work - Safety Yellow                     | EA  |
| BRMBGD310 | BrimGuard Day Work - Safety Orange                     | EA  |
| BRMBGD410 | BrimGuard Day Work - Safety Red                        | EA  |
| BRMBGD510 | BrimGuard Day Work - Safety Green                      | EA  |
| BRMBGD610 | BrimGuard Day Work - Safety Blue                       | EA  |
| BRMBGD710 | BrimGuard Day Work - Black/Silver                      | EA  |
| BRMBGR111 | BrimGuard Night Work Reflective - Silver               | EA  |
| BRMBGR211 | BrimGuard Night Work Reflective - Safety Yellow/Silver | EA  |
| BRMBGR311 | BrimGuard Night Work Reflective - Safety Orange/Silver | EA  |
| BRMBGR411 | BrimGuard Night Work Reflective - Safety Red/Silver    | EA  |
| BRMBGR511 | BrimGuard Night Work Reflective - Safety Green/Silver  | EA  |
| BRMBGR611 | BrimGuard Night Work Reflective - Safety Blue/Silver   | EA  |
| BRMBGR711 | BrimGuard Night Work Reflective - Black/Silver         | EA  |



| B. BrimGuard™ DripGuard™ |                                             |     |  |
|--------------------------|---------------------------------------------|-----|--|
| SKU                      | Description                                 | UOM |  |
| BRMDGB120                | Brimguard Dripguard Cap - Silver Reflective | EA  |  |
| BRMDGB220                | Brimguard Dripguard Cap - Safety Yellow     | EA  |  |
| BRMDGB320                | Brimguard Dripguard Cap - Safety Orange     | EA  |  |
| BRMDGB420                | Brimguard Dripguard Cap - Safety Red        | EA  |  |
| BRMDGB520                | Brimguard Dripguard Cap - Safety Green      | EA  |  |
| BRMDGB620                | Brimguard Dripguard Cap - Safety Blue       | EA  |  |
| BRMDGB720                | Brimguard Dripguard Cap - Black             | EA  |  |
| BRMDGF120                | Brimguard Dripguard Hat - Silver Reflective | EA  |  |
| BRMDGF220                | Brimguard Dripguard Hat - Safety Yellow     | EA  |  |
| BRMDGF320                | Brimguard Dripguard Hat - Safety Orange     | EA  |  |
| BRMDGF420                | Brimguard Dripguard Hat - Safety Red        | EA  |  |
| BRMDGF520                | Brimguard Dripguard Hat - Safety Green      | EA  |  |
| BRMDGB620                | Brimguard Dripguard Hat - Safety Blue       | EA  |  |
| BRMDGB720                | Brimguard Dripguard Hat - Black             | EA  |  |





| C. Goggle      | Clip                                                       |     |        |
|----------------|------------------------------------------------------------|-----|--------|
| Secures to the | back of a hard cap to hold goggles in place when not in us | e.  |        |
| SKU            | Description                                                | UOM | Price  |
| FRAKYM=KY0H    | Goggle clip for full brim hard hat                         | EA  | \$6.79 |
| FRAKYM=KYWC    | Goggle clip for cap hard hat                               | EA  | \$6.79 |



#### D. BANDIT™ Goggle Retainer

The BANDIT™ Goggle Retainer is designed for use where protective goggles must be worn with a safety cap or hat. Installs quickly and easily. No tools required. Dielectric retainer will retain the goggle on the safety cap when the goggle is not in use; and hold the goggles securely when worn for eye protection. (Goggles, cap, or hat not included).

| SKU     | Description           | Style | UOM | Price   |
|---------|-----------------------|-------|-----|---------|
| CHE9652 | Goggle retaining ring | Сар   | EA  | \$13.04 |
| CHE9662 | Goggle retaining ring | Hat   | EA  | \$16.22 |






#### **Hearing Protection**



by Honeywell



#### A. Max® Earplugs

Workers who need to block out loud noise demand the best protection and comfort available in an earplug. That's where Max comes in. The world's most-used polyurethane earplug, Max offers superior noise-blocking performance in a single-use earplug. Max's new enhanced contoured shape is easier to insert and resists backing out of the ear canal, while its softer foam delivers superior long-wearing comfort – delivering solid performance that your workers can depend on. NRR 33. Tested in accordance with ANSI S3.19-1974. Coral color.

| SKU      | Description               | Туре     | Package | UOM       |
|----------|---------------------------|----------|---------|-----------|
| HOWMAX1  | Max <sup>®</sup> Earplugs | Uncorded | Polybag | 200 PR/BX |
| HOWMAX30 | Max <sup>®</sup> Earplugs | Corded   | Polybag | 100 PR/BX |

#### **B. Max Lite® Earplugs**

Ideal for workers with smaller ear canals, Max Lite's low-pressure foam expands gently inside the ear canal for comfortable long-term wear, eliminating that feeling of "tightness." Its contoured T-shape delivers easy handling for insertion and removal. Plus, Max Lite is available with special cording, packaging and dispenser options, ideal for process industries with low tolerances for packaging waste. Attenuation tested in accordance with ANSI S3.19-1974. Green color NBR 30 dB

| Groom color. With Go ab. |             |          |         |           |  |
|--------------------------|-------------|----------|---------|-----------|--|
| SKU                      | Description | Туре     | Package | UOM       |  |
| HOWLPF1                  | Max Lite    | Uncorded | Polybag | 200 PR/BX |  |
| HOWLPF30                 | Max Lite    | Corded   | Polybag | 100 PR/BX |  |





#### C. Leightning® Earmuffs

The Leightning series' steel wire construction provides high performance and robust durability. Leightning stands up to daily use and abuse without compromising comfort. The Leightning series has been optimized to deliver the highest level of comfort available, featuring super soft ear cushions that eliminate that "squeezing pressure" on the head. Features patented Air Flow Control™ technology for optimal attenuation across all frequencies and snap-in ear cushions for easy maintenance.

| SKU        | Description                               | NRR   | UOM |
|------------|-------------------------------------------|-------|-----|
| BIL1013460 | Leightning LON ultraslim earcups neckband | 22 dB | EA  |

#### **D. Eliminator™ Earmuffs**

Radians Eliminator™ 23 & 26 earmuffs are a lightweight, comfortable earmuff with a padded, adjustable headband.

| ,         |                                   |     |
|-----------|-----------------------------------|-----|
| SKU       | Description                       | UOM |
| RADEL23-B | Eliminator™ 23 Earmuff, NRR 23 dB | EA  |
| RADEL26-B | Eliminator™ 26 Earmuff, NRR 26 dB | EA  |





#### E. left/RIGHT™ Cap-Mounted, Passive

The MSA left/RIGHT™ Ear Muffs have dedicated right and left ear cups that are designed to fit ears of all shapes and sizes which offers increased comfort and protection. Cups are sized and shaped to provide space for most ear sizes. For use with MSA slotted caps.

| SKU         | Description                              | UOM |
|-------------|------------------------------------------|-----|
| MSA10087422 | left/RIGHT™ Cap-Mounted, Passive, 28 dBA | EA  |





#### **Respiratory Protection**

#### A. 3M™ Half Facepiece Respirators 6000 Series

The 3M™ Full Facepiece Respirators 6000 Series help provide versatility, comfort and ease of use. The low-maintenance design minimizes time required to maintain the product. Just clean as directed between uses and reduce the need for expensive repair programs.

|        |                | ' | 1 1 3 |      |     |
|--------|----------------|---|-------|------|-----|
| SKU    | Description    |   |       | Size | UOM |
| 3M6100 | Half Facepiece |   |       | S    | EA  |
| 3M6200 | Half Facepiece |   |       | M    | EA  |
| 3M6300 | Half Facepiece |   |       | L    | EA  |





3M6003

#### B. 3M™ Cartridges

NIOSH approved cartridges and filter to be used with 3M Half and Full Facepiece Respirator 6000 Series, Half Facepiece Respirator 7500 Series, Full Facepiece Respirator Series 7800 and Full Facepiece Respirator FF-400 Series. Some filters may require a retainer or adapter.

|        | •                                |     |
|--------|----------------------------------|-----|
| SKU    | Description                      | UOM |
| 3M2091 | Particulate Filter, P100         | PR  |
| 3M6001 | Organic Vapor Cartridge          | PR  |
| 3M6002 | Acid Gas Cartridge               | PR  |
| 3M6003 | Organic Vapor/Acid Gas Cartridge | PR  |

#### C. 3M™ Particulate Respirator 8210, N95

This respirator is designed to help protect workers against certain non-oil particles. It features Advanced Electrostatic Media, welded strap attachment, soft nose foam, and an adjustable noseclip to help ensure a custom and secure seal.

| SKU    | Description                      | UOM   |
|--------|----------------------------------|-------|
| 3M8210 | Particulate respirator 8210, N95 | 20/BX |





#### D. 3M™ Particulate Respirator 8210V, N95

An economical option when a valved respirator is desired, this respirator is based on the popular 8210 and features the proprietary 3M<sup>™</sup> Cool Flow <sup>™</sup> Valve.

| SKU     | Description                       | UOM   |
|---------|-----------------------------------|-------|
| 3M8210V | Particulate Respirator 8210V, N95 | 10/BX |

<sup>\*3</sup>M recommended for relief against nuisance levels of acid gases. Nuisance level refers to concentrations not exceeding OSHA PEL or other

whichever is lower.

\*\*\*3M recommended for relief against of nuisance levels organic vapors and ozone protection up to 10 times OSHA PEL. Not NIOSH certified for use against ozone. Nuisance level refers to concentrations not exceeding OSHA PEL or other applicable government occupational exposure limits,



These respirators help reduce exposure to certain airborne contaminates. Before use, the wearer must read and understand the USER Instructions provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. Misuse may result in sickness or death. For proper use, see packaging instructions, supervisor, or call 3M OH&ESD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.



applicable government occupational exposure limits, whichever is lower.

\*\*3M recommended for relief against nuisance levels of acid gases and for ozone protection up to 10X OSHA PEL. Not NIOSH certified for use against ozone. Nuisance level refers to concentrations not exceeding OSHA PEL or other applicable government occupational exposure limits,

#### **Fall Protection**





#### A. Reliance® Ironman™ Lite Harness 802000-A

Ironman™ Lite is a new grade of harness designed for the power-user, combining premium features with the classic utility of Reliance Full Body Harnesses. The aluminum alloy hardware provides the strength of steel without the weight, ensuring greater comfort and increased compliance and productivity. The Ironman™ Lite features TattleTale® webbing that has an interior ply of contrasting black "strength" yarns that increase webbing strength to 7000 lbs (31kN) and instantly reveal cuts or abrasion, built-in impact load indicators, bar-coded individual serial numbers for traceability, Reliance Quick-Adjust™ torso adjustment buckles, Quick-Connect chest buckle, "Floating" thigh stitching reduces binding and premium anodized aluminum alloy hardware for high strength and reduced weight.

| SKU         | Description                         | Size      | UOM |
|-------------|-------------------------------------|-----------|-----|
| REL802000-A | Vest style with back and hip D-Ring | Universal | EA  |
| REL802100-A | Vest style with back and hip D-Ring | Small     | EA  |
| REL802400-A | Vest style with back and hip D-Ring | X-Large   | EA  |
| REL802500-A | Vest style with back and hip D-Ring | XX-Large  | EA  |
| REL802600-A | Vest style with back and hip D-Ring | Big-Boy   | EA  |

#### B. Reliance® Ironman™ Lite Harness 812000-A

Ironman™ Lite is a new grade of harness designed for the power-user, combining premium features with the classic utility of Reliance Full Body Harnesses. The aluminum alloy hardware provides the strength of steel without the weight, ensuring greater comfort and increased compliance and productivity. The Ironman™ Lite features TattleTale® webbing that has an interior ply of contrasting black "strength" yarns that increase webbing strength to 7000 lbs (31kN) and instantly reveal cuts or abrasion, built-in impact load indicators, bar-coded individual serial numbers for traceability, Reliance Quick-Adjust™ torso adjustment buckles, Quick-Connect chest buckle, "Floating" thigh stitching reduces binding and premium anodized aluminum alloy hardware for high strength and reduced weight.

| SKU         | Description                                                                           | Size      | UOM |
|-------------|---------------------------------------------------------------------------------------|-----------|-----|
| REL812000-A | Vest style with back and hip D-Ring, integrated adjustable/removable waist pad & belt | Universal | EA  |
| REL812100-A | Vest style with back and hip D-Ring, integrated adjustable/removable waist pad & belt | Small     | EA  |
| REL812400-A | Vest style with back and hip D-Ring, integrated adjustable/removable waist pad & belt | X-Large   | EA  |
| REL812500-A | Vest style with back and hip D-Ring, integrated adjustable/removable waist pad & belt | XX-Large  | EA  |
| REL812600-A | Vest style with back and hip D-Ring, integrated adjustable/removable waist pad & belt | Big-Boy   | EA  |





18

#### C. Reliance® "A" Series Harness 802000

Industry standard construction/ industrial harness. The Tattletale™ webbing has an interior ply of contrasting bright red "strength" yarns that increase webbing strength to 7000 lbs and instantly reveal cuts or abrasion. Each harness has built-in impact load indicators and is bar-coded with individual serial numbers for traceability. Other features include non-elastic webbing, heat-set labels that won't come off and corrosion-resistant nickel plated grommets. The extra thick woven (not sewn) seat webbing adds durability where most abrasion occurs. This harness also has a lanyard keeper.

| SKU       | Description                                                  | Size     | UOM |
|-----------|--------------------------------------------------------------|----------|-----|
| REL802000 | Harness "A" Series positioning, D-rings on the back and hips | Standard | EA  |
| REL802100 | Harness "A" Series positioning, D-rings on the back and hips | Small    | EA  |
| REL802400 | Harness "A" Series positioning, D-rings on the back and hips | X-Large  | EA  |
| REL802500 | Harness "A" Series positioning, D-rings on the back and hips | XX-Large | EA  |
| REL802600 | Harness "A" Series positioning, D-rings on the back and hips | Big-Boy  | EA  |

#### D. Reliance® Ironman™ Harness 812000

The Reliance Ironman<sup>™</sup> harness with added padding and tool/accessory belts is especially useful in heavy construction. The added padding consist of a integral back support that doubles as a tool belt and shoulder padding. The quick tongue-buckle leg closures and Reliance Quick- Adjust<sup>™</sup> torso adjustment buckles make fitting this harness easy. Other features include slotted positive engaging chest buckle, built-in load indicators for inspectability, Reliance Tattletale<sup>™</sup> webbing and individual bar-coded serial numbers. This harness also has a lanvard keeper.

| SKU       | Description                                                | Size     | UOM |
|-----------|------------------------------------------------------------|----------|-----|
| REL812000 | Ironman™ Harness Positioning, D-rings on the back and hips | Standard | EA  |
| REL812100 | Ironman™ Harness Positioning, D-rings on the back and hips | Small    | EA  |
| REL812400 | Ironman™ Harness Positioning, D-rings on the back and hips | X-Large  | EA  |
| REL812500 | Ironman™ Harness Positioning, D-rings on the back and hips | XX-Large | EA  |
| REL812600 | Ironman™ Harness Positioning, D-rings on the back and hips | Big-Boy  | EA  |





Web: www.gosafe.com • Phone: (800)330-9240 • Fax: (281)476-5394

#### **Fall Protection**



#### A. Reliance® BlackMAX™ Shock-Absorbing Lanyard

The BlackMAX<sup>™</sup> shock-absorbing lanyard is the first of its kind. It knows how far the worker has fallen and can regulate the arresting force depending on the circumstances. Limits arresting force to less than 900 lbs. in a 6 feet freefall arrest.

| SKU       | Description                                                                  | UOM |
|-----------|------------------------------------------------------------------------------|-----|
| REL741700 | Lanyard, BlackMAX™ shock-absorbing lanyard,1 ea 3/4" snap, 2 ea 3/4" tieback | EA  |





#### B. Reliance® Lanyard with FatPack™ Shock Absorber

Lanyard is made of Tattletale<sup>™</sup>, 9,600 lb. Tested, 1" polyester webbing. Lanyard has a 7/8" Pelican<sup>™</sup> snap hook and two 2-1/4" opening rebar hook. Lanyard is equiped with our exclusive Fat-Pack<sup>™</sup> shock pack shock absorber. Usage: Fall Arrest, 100% tie off.

| SKU       | Description                                                                 | UOM |
|-----------|-----------------------------------------------------------------------------|-----|
| REL741206 | Lanyard, FatPack™ shock absorber w/ 1 ea 3/4" snap, 2 ea 2-1/4" rebar snaps | EA  |

#### C. Reliance® Skyline™ Lanyard with Twin Tie-back Steelhead™ Hooks

This Skyline Lanyards comes equipped with one Pelican<sup>™</sup> hook and two SteelHead® hooks. The Shock Pack Covers are clear making them easy to inspect. Features tested 9,600 lb Tattletale<sup>™</sup> webbing in the lanyard leg. All of the twin leg lanyards have Reliance's exclusive Fat-Pack<sup>™</sup> shock absorbers that contain two fully independent shock absorbers in one pack. The lanyard has individual bar-coded serial numbers. Fixed length. Complies with the current ANSI Z359.1-2007 and all applicable OSHA regulations and requirements.

| SKU       | Description                                                     | UOM |
|-----------|-----------------------------------------------------------------|-----|
| REL741406 | Lanyard, Skyline™ with FatPack™. Twin Tie-back Steelhead™ Hooks | EA  |





#### D. Reliance® StopLite® Self Retracting Lifeline

The StopLite® Personal Fall Arrest Device from Reliance Fall Protection offers the safety and reliability of a standard Self-Retracting Lifeline in a compact, durable package. Available in multiple configurations, the StopLite® has been tested to the highest standards and complies with applicable OSHA standards and ANSI Z359.1-2007.

| SKU      | Description                                                    | UOM |
|----------|----------------------------------------------------------------|-----|
| REL4003  | StopLite® Single Self Retracting Lifeline 10' Tie-Back         | EA  |
| REL4003T | StopLite® Twin Self Retracting Lifeline 10' Tie-Back           | EA  |
| REL4004  | StopLite® Single Self Retracting Lifeline 7' with Pelican Hook | EA  |
| REL4004T | StopLite® Twin Self Retracting Lifeline 7' with Pelican Hook   | EA  |
| REL4005  | StopLite® Single Self Retracting Lifeline 7' with Rebar Hook   | EA  |
| REL4005T | StopLite® Twin Self Retracting Lifeline 7' with Rebar Hook     | EA  |

#### E. \*Reliance® SkyLoc II Series SRL

Reliance's new lightweight, fiberglass reinforced, stackable nylon housings include things like a big carry handle opposite a flat surface, making the units easier to transport and store. A swivel connection on top combined with a swivelling snap hook means no twisting on your anchorage. And a rubberized, form-fitted cable grip makes feeding out cable a snap.

| SKU        | Description                          | UOM |
|------------|--------------------------------------|-----|
| REL4000030 | SkyLoc II SRL, 30' galvanized cable  | EA  |
| REL4000050 | SkyLoc II SRL, 50' galvanized cable  | EA  |
| REL4000100 | SkyLoc II SRL, 100' galvanized cable | EA  |







19

#### **Horizontal Lifeline Systems**

Working at heights is inherently dangerous. While it is impossible to eliminate every risk, Reliance fall protection equipment has been designed to substantially reduce the risk of injury. Most fall related injuries are the result of faulty or abused equipment, lack of training, failure to follow the manufacturer's instructions, or simple failure to use good judgment. No manufacturer can accept the liability for damages that result from equipment that has been improperly used or abused - that remains the responsibility of the user.

Choosing fall protection equipment that effectively protects workers from hazards while remaining in compliance with government regulations can be an intimidating task. OSHA 1926.501(b)(1) states: "Each employee on a walking/working surface (horizontal and vertical surface) with an unprotected side or edge which is 6 feet (1.8M) or more above a lower level shall be protected from falling by the use of guardrail systems, safety net systems, or personal fall arrest systems".



#### **Horizontal Lifeline Systems - Road & Bridge**

Reliance offers a variety of engineered horizontal lifeline systems that are specifically designed to address the fall protection hazards associated with the construction and maintenance of roadways and bridges. These systems use components that were developed to meet the standard requirements of road and bridge work environments, and have been thoroughly field tested on actual jobsites.

Reliance Horizontal Lifeline Systems for Road and Bridge work share a common horizontal lifeline system, but use different anchor, stanchion, and other elements specific to the environment in which they are installed. On the opposite page is a breakdown of the lifeline component common to each system, along with a listing of individual components specific to the systems listed in this section. Components are called out numerically on the system illustrations.

#### **Horizontal Lifeline Systems - Structural Steel**

Structural steel systems are designed for installation on existing structures. Utilizing off the shelf components, most all structures can be accommodated. System height is 5, 6, or 7' (1.5, 1.8, 2.1m) above the walking surface or can be configured to hang from above. System stabilization is maintained with tie-back cables or strong back struts when stanchions are utilized. On structures (piperacks) where clamping on the top flange of I- beams is not feasible, under slung clamps may be used.

#### **Horizontal Lifeline Systems - Concrete**

Construction projects utilizing concrete foundations are among the most common in building sites worldwide. The nature of concrete construction projects presents a unique set of challenges for fall protection and horizontal lifeline setup and use. Reliance has extensive experience in this area, and offers a variety of systems and solutions for concrete construction projects.

Reliance has invested a great deal in engineering and Research and Development geared towards meeting the needs of our customers. Currently, Reliance offers several off the shelf systems which effectively address most concrete construction applications. Since each project has unique challenges, custom fabrication of brackets and structural interfaces are available upon request.

#### **Horizontal Lifeline Systems - Speciality**

With our large selection of off the shelf components, most any structure may be fitted with a permanent or temporary Reliance horizontal lifeline. With the ability to "tune" our lifeline systems. Reliance can accommodate clearance and span geometries that our competitors have difficulty with.





#### A. Reliance® T.E.S.T.S.™ Elastic Tool Lanyard

The REL799950 Elastic Tool Lanyard is designed to secure tools to a person or object to prevent inadvertent dropping. Initial length is 26" and can elongate to 42" Comes with an 80 mm carabiner and rubberized loop with a ball lock for additional anchoring/attachment options.

| SKU       | Description          | UOM |
|-----------|----------------------|-----|
| REL799950 | Elastic tool lanyard | EA  |





#### B. Reliance® T.E.S.T.S.™ Coiled Tool Lanyard

The REL799952 Coiled Tool Lanyard is designed to secure tools to a person or object to prevent inadvertent dropping. Comes with an 80 mm carabiner and rubberized loop with a ball lock for additional anchoring/attachment options. 5 lb max tool weight.

| SKU       | Description         | UOM |
|-----------|---------------------|-----|
| REL799952 | Coiled tool lanyard | EA  |

#### C. Reliance® T.E.S.T.S.™ Tool Lanyard

The REL799953 Tool Lanyard is designed to secure tools to a person or object to prevent inadvertent dropping. Initial length is 38" and can elongate to 63". Comes with 2 spring hooks for anchoring/attachment options. Up to 15 lb max tool weight.

| SKU       | Description                              | UOM |
|-----------|------------------------------------------|-----|
| REL799953 | Tool lanyard up to 15 lb max tool weight | EA  |





#### D. Reliance® T.E.S.T.S.™ Tool Lanyard

The REL799955 Tool Lanyard is designed to secure tools to a structure capable of supporting 1,000 lbs to prevent inadvertent dropping. Initial length is 38" and can elongate to 63". Comes with 2 spring hooks for anchoring/attachment options. Up to 50 lb max tool weight.

| SKU       | Description                              | UOM |
|-----------|------------------------------------------|-----|
| REL799955 | Tool lanyard up to 50 lb max tool weight | EA  |

#### E. Reliance® Tool & Equipment Safety Tether System

Anchor rings are installed on irregular shaped tools (or tools that lack an appropriate connector slot) utilizing the REL799990 tension tool.

| olot) utilizing | dulizing the received tension tool. |     |
|-----------------|-------------------------------------|-----|
| SKU             | Description                         | UOM |
| REL799960       | Banding 3/8" (9.6mm), 100' roll     | RL  |
| REL799971       | Light duty anchor rings, 10 per bag | BG  |
| REL799973       | Heavy duty anchor rings, 10 per bag | BG  |
| REL799990       | Tension Tool                        | EA  |





#### **Fall Protection**





#### A. Squids® 3100 Single Carabiner Tool Lanyard - 10lb

Tool Lanyard-Single Carabiner: Tethers tools to help worker prevent injury, damage and lost productivity from dropped tools.

| SKU         | Description                                      | UOM |
|-------------|--------------------------------------------------|-----|
| ERG3100STD  | Single Carabiner Tool Lanyard 35" - 42"          | EA  |
| ERG3100EXTD | Single Carabiner Tool Lanyard Extended 42" - 54" | EA  |

#### B. Squids® 3101 Stainless Steel Carabiner Tool Lanyard - 15lb

Stainless Steel Screw Gate Tool Lanyard - Single Carabiner: Stainless steel carabiners with locking screw gates for a sure connection in more corrosive environments.

| looning our | rectaing serior guest for a suit commental in more seriosive sittle interior. |     |  |
|-------------|-------------------------------------------------------------------------------|-----|--|
| SKU         | Description                                                                   | UOM |  |
| ERG3101     | Stainless Steel Carabiner Tool Lanvard 35" - 42"                              | EA  |  |





#### C. Squids® 3110 Dual Carabiner Tool Lanyard - 10lb

Tool Lanyard-Dual Carabiners tethers tools to help worker prevent injury, damage and lost productivity from dropped tools.

| productivity manufactures. |                                                |     |
|----------------------------|------------------------------------------------|-----|
| SKU                        | Description                                    | UOM |
| ERG3110STD                 | Dual Carabiner Tool Lanyard 35" - 42"          | EA  |
| ERG3110EXTD                | Dual Carabiner Tool Lanyard Extended 42" - 54" | EA  |

#### D. Squids® Cold Shrink Trap™

Cold Shrink Traps capture Squids® Elastic Tool Tails™ creating a retrofit connection point for tethering. Maximum capacity depending on tool, tail and lanyard used.

| •       | , , , , , , , , , , , , , , , , , , , ,                       |     |
|---------|---------------------------------------------------------------|-----|
| SKU     | Description                                                   | UOM |
| ERG3723 | Cold Shrink Trap™ Tool Diameter 0.75" - 1.50" Max. Cap. 5lbs  | EA  |
| ERG3724 | Cold Shrink Trap™ Tool Diameter 1.25" - 1.75" Max. Cap. 10lbs | EA  |
| ERG3726 | Cold Shrink Trap™ Tool Diameter 1.75" - 2.50" Max. Cap. 15lbs | EA  |





#### E. Squids® Tape Trap™

Captures Squids® Tool Tails™ securing a safe connection to tools like no other tool attachment tape on the market. Quickly wraps on a variety of hand tools, power tools and other equipment providing security and added grip.

| SKU      | Description          | UOM |
|----------|----------------------|-----|
| ERG3750S | Tape Trap™ 12ft Roll | RL  |
| ERG3750M | Tape Trap™ 30ft Roll | RL  |



#### **Fall Protection**



#### A. Arsenal® Leather Bottom Buckets

Leather Bottom Bucket: High wall, heavy duty bucket for strength and durability. Rope handle,

| Leather Bottom Bucket. Then wan, fleavy duty bucket for strength and durability. Hope |                                        |    |
|---------------------------------------------------------------------------------------|----------------------------------------|----|
| SKU                                                                                   | SKU Description                        |    |
| ERG5730                                                                               | Leather bottom bucket                  | EA |
| ERG5740                                                                               | Leather bottom bucket with swivel snap | EA |
| ERG5738                                                                               | Canvas safety top 12.5" dia            | EA |





#### **B.** Arsenal® Small Plastic Bottom Bucket

Small Plastic Bottom Bucket: Small size for easy toting and lighter loads. Rope handle.

| SKU     | Description                           | UOM |
|---------|---------------------------------------|-----|
| ERG5734 | Small plastic bottom bucket           | EA  |
| ERG5744 | Small plastic bucket with swivel snap | EA  |
| ERG5739 | Canvas safety top 10" dia.            | EA  |

#### C. Arsenal® 5725 Topped Bolt Bag

Topped Bolt Bag with Loop Design: Wide body and one-handed cinch-up top for keeping gear safe and secure.

| SKU     | Description     | UOM |  |
|---------|-----------------|-----|--|
| ERG5725 | Topped Bolt Bag | EA  |  |





#### D. Arsenal® Topped Parts Pouch

Topped Parts Pouch has a hands-free, self-closing trap door closure that prevents small parts, hardware, and tools from falling when working at heights.

| SKU     | Description                           | UOM |
|---------|---------------------------------------|-----|
| ERG5538 | Topped Parts Pouch - Orange Tarpaulin | EA  |
| ERG5528 | Topped Parts Pouch - Black Canvas     | EA  |

#### E. Arsenal® 5516 Topped Tool Pouch - Strap Attachment

Topped Tool Pouch easily attaches to any fall protection harness while keeping tools and fasteners secure.

| SKU     | Description                          | UOM |
|---------|--------------------------------------|-----|
| ERG5516 | Topped Tool Pouch - Strap Attachment | EA  |









A Hines Corporation Company

# RailGuard 200 Non-Penetrating Safety Guardrail System




RailGuard 200 is the original non-penetrating rail system that exceeds requirements for OSHA temporary and permanent guard-rail standards. It is ideal for creating leading edge rooftop fall prevention or for defining material landing zones during active work on the jobsite.

For the ultimate in asthetics and flexibility choose the RailGuard 200 Fit-Rite System. Fit-Rite offers custom rail lengths to be installed on-site for a permanent clean look. The rigid design offers many base mounting options and choose from either staight or curved stanchions.

Whichever System you choose RailGuard will provide safe rooftop edge fall prevention. Check out these features:

- Standard yellow powdercoat or galvanized.
- · Custom colors available.
- · Std base allows multiple rail angles.
- · Non-Penetrating design.
- · Integrated toe-board pockets and handles
- Fit-Rite system completely customizable with straight or curved stanchions.



RailGuard 200 Standard Kit | Rail, | Base, 2 Pins

Please contact customer service for more information.





# VersaGate Self-Closing Gate System



#### **VersaGate**

The Garlock VersaGate safely secures unprotected openings from 24 to 48 inches on ladderways, platforms and stairs. Four standard adjustable models available depending on your opening size. Custom sizes, colors and galvanized options make the Garlock VersaGate the solution.

- •Meets OSHA 1910.23(a)(2)
- •Two-piece gate for adjustability to fit varying widths.
- •4 standard models and universal left/right mounting.
- •Spring-loaded hinge provides self-closing feature.
- •Adjustable Hinge height for universal mounting.
- •Universal clamp will fit flat or round post or rail.



Please contact customer service for more information.





#### A. Chill-Its® 6602MF Microfiber Evaporative Cooling Towel

Dampen the microfiber towel to activate cooling or use dry to wipe your brow. Microfiber material is soft and absorbent and super-evaporative, feels significantly colder than ambient air when wet. Chemical free and machine washable. 2-sided color, gray on reverse for all colors. Size: 9.8 " x 40.9" (25cm x 104cm)

| SKU        | Description                                       | UOM |
|------------|---------------------------------------------------|-----|
| ERG6602MFB | Evaporative microfiber cooling towel, blue        | EA  |
| ERG6602MFG | Evaporative microfiber cooling towel, gray        | EA  |
| ERG6602MFL | Evaporative microfiber cooling towel, hi-vis lime | EA  |
| ERG6602MF0 | Evaporative microfiber cooling towel, orange      | EA  |
| ERG6602MFP | Evaporative microfiber cooling towel, pink        | EA  |

#### **B. Chill-Its® 6602 Evaporative Cooling Towel**

Advanced PVA material holds water without feeling heavy. Super-evaporative, feels significantly cooler than ambient air. Wear for hours, or wipe off for quick relief. Simply re-wet the towel to reactivate. Machine washable

| towor to reactivate. Machine wachable |                                        |     |  |
|---------------------------------------|----------------------------------------|-----|--|
| SKU                                   | Description                            | UOM |  |
| ERG6602                               | Evaporative cooling towel, blue        | EA  |  |
| ERG6602G                              | Evaporative cooling towel, gray        | EA  |  |
| ERG6602L                              | Evaporative cooling towel, hi-vis lime | EA  |  |
| ERG66020                              | Evaporative cooling towel, orange      | EA  |  |
| ERG6602P                              | Evaporative cooling towel, pink        | EA  |  |





C

#### C. Chill-Its® 6603 Evaporative Cooling Band

Advanced PVA cooling technology. Dampen this synthetic space age wrap to create a cooling aid significantly colder than ambient air. Wear for hours or for quick relief. Simply re-wet to reactivate, Machine washable.

| SKU     | Description                      | UOM |
|---------|----------------------------------|-----|
| ERG6603 | Bandana with cooling towel, blue | EA  |

#### D. Chill-Its® 6700FR Evaporative FR Cooling Bandana

Soak in water 2-5 minutes to activate. Remains hydrated for up to 4 hours. Modacrylic cotton blend fabric meets ASTM F1506 performance requirements (ATPV rating of 7.1 cal/cm2); classified HRC1 per NFPA 70E. Meets ASTM F2302 for flame resistance.

| SKU        | Description                             | UOM |
|------------|-----------------------------------------|-----|
| ERG6700FRB | Bandanna, FR, evaporative cooling, blue | EA  |





#### E. Chill-Its® 6700CT Cooling Bandana With Cooling Towel

Advanced PVA material activates easily and quickly when run under water for one minute. Re-usable: just soak in water to re-activate, super-evaporative cooling process helps keep you cool. Lightweight and low profile; perfect for under hard hats.

| SKU        | Description                      | UOM |
|------------|----------------------------------|-----|
| ERG6700CTL | Bandana with cooling towel, lime | EA  |

#### F. Cooling bandanna

26

These bandanna/headlands provide cool comfort 24 to 48 hours when activated in cold water. Ideal for all warm work, Chill-Its Body Technologies help workers stay cool, fight fatigue and increase productivity.

| SKU       | Description       | UOM |
|-----------|-------------------|-----|
| MSS940-01 | Navy blue bandana | EA  |





Web: www.gosafe.com • Phone: (800)330-9240 • Fax: (281)476-5394

#### A. Sweatbands

The blue sweatband is ultra thin yet absorbent. Won't tear, break or flake or become dry and brittle. Contains no chemicals. Made of viscose cellulose. Never requires hydration to soften. Affixes with rubber band. Disposable.

The Terri cloth comfort band for industrial headgear is washable, 100% cotton terry material. Colors may vary. It provides extra comfort and unsurpassed absorption of oils and perspiration.

| SKU         | Description                            | UOM    |
|-------------|----------------------------------------|--------|
| OCCSBR100   | Blue sweatband                         | 100/PK |
| MSSTERRIMED | Terri cloth sweatband for all hardhats | EA     |





#### B. Chill-Its® 6715 Hard Hat Pads/6716 Hard Hat Liner

These hard hat inserts provide cool comfort 24 to 48 hours when activated in cold water. Ideal for all warm work, Chill-Its body technologies help workers stay cool, fight fatigue and increase productivity.

| SKU       | Description                             | Color      | Size     | UOM |
|-----------|-----------------------------------------|------------|----------|-----|
| ERG6715   | Cooling hard hat pad                    | Solid blue | One size | EA  |
| ERG6715CT | Cooling hard hat pad with cooling towel | Blue       | One Size | EA  |
| ERG6716   | Cooling hard hat liner                  | Solid blue | One size | EA  |

#### D. Chill-Its® 6710FR Evaporative FR Cooling Triangle Hat

Soak in water 2-5 minutes to activate. Remains hydrated for up to 4 hours. Modacrylic cotton blend fabric meets ASTM F1506 performance requirements (ATPV rating of 7.1 cal/cm2); classified HRC1 per NFPA 70E. Meets ASTM F2302 for flame resistance.

| SKU        | Description                                 | UOM |
|------------|---------------------------------------------|-----|
| ERG6710FRB | Triangle hat, evaporative cooling, FR, blue | EA  |





#### E. Chill-Its® 6710CT Cooling Triangle Hat With Cooling Towel

Advanced PVA material activates easily and quickly when run under water for one minute. Re-usable: just soak in water to re-activate, super-evaporative cooling process helps keep you cool. Lightweight and low profile; perfect for under hard hats.

| SKU       | Description                           | UOM |
|-----------|---------------------------------------|-----|
| ERG6710CT | Triangle hat with cooling towel, lime | EA  |


#### F. Core Performance Work Wear 6485 Multi-Band

Supremely versatile performance fabric with a multitude of uses and ways to wear. Hi-tech moisture management performance fabric dries fast. Anti-stink treatment helps workers remain unscented. Multi-climate usage, stretchable, comfortable and seam-free. Multiple style and usage configurations. Blocks wind, sun and dust. Machine washable. One size fits most.

| SKU       | Description                                          | UOM |
|-----------|------------------------------------------------------|-----|
| ERG6485   | Core Performance Work Wear Muli-Band Stars & Stripes | EA  |
| ERG6485HV | Core Performance Work Wear Muli-Band Lime            | EA  |









#### A. Chill-Its® 6717 Hard Hat Pad With Neck Shade

This hard hat pad and neck shade provides cool comfort 24 to 48 hours when activated in cold water. Ideal for all warm work, Chill-Its body technologies help workers stay cool, fight fatigue, and increase productivity.

| SKU       | Description                          | Color      | Size     | UOM |
|-----------|--------------------------------------|------------|----------|-----|
| ERG6717   | Hard hat pad with neck shade         | Solid blue | One size | EA  |
| ERG6717CT | Hard hat pad with neck shade & Towel | Solid Blue | One size | EA  |

#### B. Chill-Its® 6670CT Evaporative Hard Hat Neck Shade

Keeps the sun off while delivering cool comfort to your neck. Advanced PVA material activates easily and quickly when run under water for one minute. Super-evaporative cooling process helps keep you cool. Hook and Loop straps for easy attachment. Re-usable, just re-wet.

| SKU       | Description                           | UOM |  |
|-----------|---------------------------------------|-----|--|
| ERG6670CT | Evaporative hard hat neck shade, lime | EA  |  |





#### C. Hard Hat Shade

Fits almost every hard hat. Blocks sun and most UV rays. Shade at back of neck facilitates perspiration evaporation. Helps keep workers comfortable.

| 1 |             | ·                         |     |  |
|---|-------------|---------------------------|-----|--|
|   | SKU         | Description               | UOM |  |
|   | OCCU898-008 | White hard hat shade      | EA  |  |
|   | OCCU898-028 | Royal blue hard hat shade | EA  |  |

#### D. Radians Sun Shade Hard Hat Accessory

Lightweight cooling device. Protects neck by shading from harmful UV rays. FR: "Non-durable FR protection" is achieved by chemically treating a material that is not naturally fire retardant, but becomes self-extinguishing after the treatment. Contrasting Trim Detail. NFPA 701 (2004) FR Treated 100% polyester mesh. Fits both cap style and full brim hard hats.

| SKU Description |                                                                          | UOM |
|-----------------|--------------------------------------------------------------------------|-----|
| RADNSG          | Hi-Viz yellow-green Sun Shade w/ reflective stripe (helmet not included) | EA  |
| RADNSO          | Hi-Viz orange Sun Shade w/ reflective stripe (helmet not included)       | EA  |





#### E. Sun Shields

Sun Shields attach to your existing hard hat and extend the brim all the way around to help protect wearer's ears and neck from the sun's rays. Made of polyurethane.

| SKU        | Description                                        | UOM |
|------------|----------------------------------------------------|-----|
| PAUA-S4-M  | Sun Shield for V-Gard & Fibre-Metal full brim hats | EA  |
| PAUA-S4-MT | Sun Shield for Topguard hard hats                  | EA  |
| PAUA-S5-F  | Sun Shield for Fibre-Metal caps                    | EA  |
| PAUA-S5-M  | Sun Shield for V-Gard caps                         | EA  |



#### A. Ergodyne Chill-Its® Evaporative Cooling Vest

Soak in cold water, and enjoy cooling relief and comfort. Features a V-neck with zipper closure, a quilted nylon outer layer and an activated, polymer-embedded fabric inside. This vest has a water-repellent liner and black cotton-poly elastic trim. It is lightweight, durable, and washable. 100% nylon. Available in lime and gray.

| ,          | 0 ,                            | 0 7  |     |
|------------|--------------------------------|------|-----|
| SKU        | Description                    | Size | UOM |
| ERG6665LIM | Evaporative cooling vest, lime | M-3X | EA  |
| ERG6665GRY | Evaporative cooling vest, gray | M-3X | EA  |





#### B. Ergodyne Chill-Its® Dry Evaporative Cooling Vest

New patented technology provides immediate, long lasting cooling. Fill vest with 400-600 ml of water and squeeze to activate. Up to 3 days cooling ability. Features v-neck with zip closure, easy to use watertight cap, lightweight, durable and washable.

| SKU     | Description                        | Size | UOM |
|---------|------------------------------------|------|-----|
| ERG6685 | Dry evaporative cooling vest, lime | M-3X | EA  |

#### C. Ergodyne Chill-Its® Low Profile Hydration Pack

Closed cell insulation keeps water cool for hours while the insulated bite valve cover prevents contamination. Features padded, adjustable shoulder and chest straps. The hydration pack is made of 420 denier nylon.

| ······································ |                                   |     |
|----------------------------------------|-----------------------------------|-----|
| SKU                                    | Description                       | UOM |
| ERGGB5155                              | Low profile hydration pack, black | EA  |
| ERGGB5155LIM                           | Low profile hydration pack, lime  | EA  |





#### D. Ergodyne Chill-Its® Premium Low Profile Hydration Pack

Durable 600D water-resistant rip stop polyester shell. One zippered compartment, multiple d-rings and nylon daisy chain webbing for gear storage. Reflective accent for higher visibility. Insulated pack and tube keeps water cool. 100% anti-microbial bite valve with cover to protect against contaminants. Breakaway shoulder straps for additional security. Wide mouth opening for easy filling and cleaning

| SKU        | Description                               | UOM |
|------------|-------------------------------------------|-----|
| ERG5156BLK | Premium low profile hydration pack, black | EA  |
| ERG5156LIM | Premium low profile hydration pack, lime  | EA  |

#### E. Bullard Isotherm FR Cool Vest

The Bullard Isotherm body temperature management systems. Isotherm is a revolutionary technology that offers more cooling, lasts longer and is comfortable. It helps reduce the chance of heat-related illnesses often experienced in today's difficult work environments.

| SKU       | Description                  | UOM |
|-----------|------------------------------|-----|
| BULIS02   | Isotherm FR Cool Vest Large  | EA  |
| BULIS02XL | Isotherm FR Cool Vest Xlarge | EA  |
| BULISO2P  | Isotherm Cool Vest Packs Set | EA  |







#### A. Ergodyne Chill-Its® Premium Cargo Hydration Pack

Durable 600D water-resistant rip stop polyester shell. Vented shoulder straps and back for maximum breathability. 8mm EVA foam padding on shoulder straps for added comfort. Five zippered compartments, multiple d-rings and nylon daisy chain webbing for gear storage. Insulated pack and tube keeps water cool. 100% anti-microbial bite valve with cover to protect against contaminants. Breakaway shoulder straps for additional security. Wide mouth opening for easy filling and cleaning

| SKU      | Description                         | UOM |
|----------|-------------------------------------|-----|
| ERG5157B | Premium cargo hydration pack, black | EA  |
| ERG5157L | Premium cargo hydration pack, lime  | EA  |

#### **B. Yukon™ Cold Lockers**

Durability beyond the realm of conventional coolers - Rugged and ice cold, Yukon™ Cold Lockers deliver serious performance for the serious outdoors man in the most extreme outdoor environments. Yukon<sup>™</sup> out hauls, out chills and outlasts anyone.

| ,,,,,    |                                                    |     |
|----------|----------------------------------------------------|-----|
| SKU      | Description                                        | UOM |
| IGL44789 | Yukon Cold Locker, 50 quart, purple and gold       | EA  |
| IGL49137 | Yukon Cold Locker, 50 quart, oilfield camo and tan | EA  |
| IGL44666 | Yukon Cold Locker, 50 quart, white                 | EA  |
| IGL44667 | Yukon Cold Locker, 70 quart, white                 | EA  |
| IGL44668 | Yukon Cold Locker, 150 quart, white                | EA  |
| IGL44719 | Yukon Cold Locker, 250 quart, white                | EA  |
| IGL45656 | Yukon Cold Locker, 50 quart, roller, white         | EA  |





#### C. 400 Series Water Coolers

Delivers cold, clean water. Rugged durable Igloo® 400 Industrial Water Coolers keep water cold, clean and available. Built for the Real World™, the 400 series takes the abuse of the roughest job site and the most punishing work crews. Red and yellow high visibility safety colors. HDPE hide won't chip, peel, buckle or rust. Ultraviolet stabilizers prevent fading and cracking in all exposures. White FDA Grade inner liner is easy to clean and resists stains and odors. Reinforced handles and dispenser bracket. All parts are replaceable for extended life. Specialty colors and labels available upon request.

| SKU     | Description          | UOM |
|---------|----------------------|-----|
| IGL421  | 2 gal. Water Cooler  | EA  |
| IGL431  | 3 gal. Water Cooler  | EA  |
| IGL451  | 5 gal. Water Cooler  | EA  |
| IGL4101 | 10 gal. Water Cooler | EA  |

#### D. Plastic Cup Dispenser

Add a convenient cup dispenser to your Igloo beverage cooler! Model Number IGL1148 holds 4 - 4.25 ounce cone cups and model number IGL9534 holds 7 - 8 ounce cone cups. Fits 3, 5 and 10-Gallon Igloo beverage coolers that are equipped with a cup dispenser bracket.

| SKU     | Description           |              | UOM |
|---------|-----------------------|--------------|-----|
| IGL1148 | Plastic cup dispenser | 4 - 4 1/2 oz | EA  |
| IGL9534 | Plastic cup dispenser | 7 - 8 oz     | EA  |





#### E. Cups

Sturdy cups, either straight rim or rolled rim. Paper cups are 4 1/2 oz or 7 oz with rolled rim. 20 x 250's. Dispenser attaches to cooler.

| SKU      | Description       | UOM |
|----------|-------------------|-----|
| KON45KSE | 4 1/2 oz cups     | CS  |
| S0L0156  | 7 oz straight rim | CS  |



#### A. Powder Pack™ Mixes

Great tasting, scientifically formulated electrolyte replacement drink is designed to restore important mineral salts and fluids lost through dehydration, physical exertion and heat stress. Sqwincher is more satisfying than water or soft drinks because the body absorbs it more quickly and restores it to its proper electrolyte and fluid balance. Powder Pack mixes quickly and easily with water. Sqwincher is the natural recovery source for dehydration. Powder Pack concentrate mixes are available in 1, 2 1/2, or a 5 gallon packet.

| SKU       | Description      | Yields       | Flavor          | UOM   |
|-----------|------------------|--------------|-----------------|-------|
| SQW16005  | Powder pack      | 1 gallon     | Fruit punch     | 80/CS |
| SQW16006  | Powder pack      | 1 gallon     | Grape           | 80/CS |
| SQW16008  | Powder pack      | 1 gallon     | Lemon lime      | 80/CS |
| SQW16040  | Powder pack      | 2 1/2 gallon | Lemonade        | 32/CS |
| SQW16041  | Powder pack      | 2 1/2 gallon | Orange          | 32/CS |
| SQW16042  | Powder pack      | 2 1/2 gallon | Fruit Punch     | 32/CS |
| SQW16043  | Powder pack      | 2 1/2 gallon | Lemon Lime      | 32/CS |
| SQW16045  | Powder pack      | 2 1/2 gallon | Tea             | 32/CS |
| SQW16047  | Powder pack      | 2 1/2 gallon | Cherry          | 32/CS |
| SQW16049  | Powder pack      | 2 1/2 gallon | Tropical cooler | 32/CS |
| SQW16046  | Powder pack      | 2 1/2 gallon | Grape           | 32/CS |
| SQW016800 | Powder pack Lite | 2 1/2 gallon | Lemon lime      | 24/CS |
| SQW016801 | Powder pack Lite | 2 1/2 gallon | Orange          | 24/CS |
| SQW016803 | Powder pack Lite | 2 1/2 gallon | Fruit Punch     | 24/CS |
| SQW016804 | Powder pack Lite | 2 1/2 gallon | Grape           | 24/CS |
| SQW16400  | Powder pack      | 5 gallon     | Mixed berry     | 16/CS |
| SQW16401  | Powder pack      | 5 gallon     | Cherry          | 16/CS |
| SQW16402  | Powder pack      | 5 gallon     | Cool citrus     | 16/CS |
| SQW16403  | Powder pack      | 5 gallon     | Lemonade        | 16/CS |
| SQW16404  | Powder pack      | 5 gallon     | Orange          | 16/CS |
| SQW16405  | Powder pack      | 5 gallon     | Fruit Punch     | 16/CS |
| SQW16406  | Powder pack      | 5 gallon     | Grape           | 16/CS |
| SQW16408  | Powder pack      | 5 gallon     | Lemon Lime      | 16/CS |
| SQW16409  | Powder pack      | 5 gallon     | Tropical cooler | 16/CS |

#### **Heat Protection**







#### **B.** Sqwincher Qwik Stik

Enjoy the same great taste you expect from Sqwincher available without any carbs or calories in a convenient single-serve pouch. Mixing Sqwincher "Lite" has never been easier. Just tear open the handy pouch, add to your favorite 20 oz. bottled water, shake the bottle gently and enjoy all the benefits of Sqwincher "Lite."

| SKU       | Description         | Flavor              | UOM    |
|-----------|---------------------|---------------------|--------|
| SQW060099 | Sqwincher Qwik Stik | Strawberry Lemonade | 500/CS |
| SQW060100 | Sqwincher Qwik Stik | Orange              | 500/CS |
| SQW060101 | Sqwincher Qwik Stik | Mixed Berry         | 500/CS |
| SQW060102 | Sqwincher Qwik Stik | Fruit Punch         | 500/CS |
| SQW060103 | Sqwincher Qwik Stik | Lemonade            | 500/CS |
| SQW060104 | Sqwincher Qwik Stik | Peach Tea           | 500/CS |
| SQW060105 | Sqwincher Qwik Stik | Raspberry           | 500/CS |
| SQW060109 | Sqwincher Qwik Stik | Cool Citrus         | 500/CS |

#### C. Fast Pack® Liquid Concentrate

Just add water to pack and you've got a single serving of fluids and electrolytes. Packet can be used as a drinking cup. Reduce heat stress and dehydration with these convenient drink packs. Their handy size makes them less bulky than transporting a cooler, but big enough to quench your thirst.

| quonon your timot. |                |       |        |                 |        |
|--------------------|----------------|-------|--------|-----------------|--------|
| SKU                | Description    | Size  | Yields | Flavor          | UOM    |
| SQW15300           | Fast Pack      | .6 oz | 6 oz   | Mixed berry     | 200/BX |
| SQW15310           | Fast Pack      | .6 oz | 6 oz   | Cool Citrus     | 200/BX |
| SQW15301           | Fast Pack      | .6 oz | 6 oz   | Cherry          | 200/BX |
| SQW15302           | Fast Pack      | .6 oz | 6 oz   | Grape           | 200/BX |
| SQW15303           | Fast Pack      | .6 oz | 6 oz   | Lemonade        | 200/BX |
| SQW15304           | Fast Pack      | .6 oz | 6 oz   | Orange          | 200/BX |
| SQW15305           | Fast Pack      | .6 oz | 6 oz   | Fruit Punch     | 200/BX |
| SQW15308           | Fast Pack      | .6 oz | 6 oz   | Lemon lime      | 200/BX |
| SQW15309           | Fast Pack      | .6 oz | 6 oz   | Tropical cooler | 200/BX |
| SQW0155000R        | Fast Pack Lite | .6 oz | .6 oz  | Orange          | 200/BX |
| SQW015501FP        | Fast Pack Lite | .6 oz | .6 oz  | Fruit Punch     | 200/BX |









#### A. Sqwincher Sqweeze

More than a freezer pop. Sqwincher Sqweeze is isotonic sports ice. Frozen electrolytes to cool the body down quickly.

| SKU          | Description                        | UOM    |
|--------------|------------------------------------|--------|
| SQW159200201 | Sqwincher Sqweeze assorted flavors | 150/CS |

#### **B. Sqwincher Sqweeze ZERO**

Now you can get your favorite electrolyte freeze pops in a No Sugar, No Calorie treat. Still has the same cooling power and electrolyte replenishment you have grown to love.

| the same cooling power and electrolyte replenishment you have grown to love. |                               |             |     |  |
|------------------------------------------------------------------------------|-------------------------------|-------------|-----|--|
| SKU                                                                          | Description                   | Flavor      | UOM |  |
| SQW159200228                                                                 | Sqwincher Sqweeze ZERO 150/CS | Fruit Punch | CS  |  |
| SQW159200229                                                                 | Sqwincher Sqweeze ZERO 150/CS | Orange      | CS  |  |





#### C. Sqwincher Beverage Enhancer

Introducing Sqwincher Beverage Enhancer - Hydrate and Recharge the body with the perfect sugar free ELECTROLYTE BEVERAGE concentrate! NO SUGAR, NO CALORIES...no worries! Each bottle yields 24 eight ounce servings.

| SKU         | Description            | Flavor              | UOM |
|-------------|------------------------|---------------------|-----|
| SQW10700-FP | Beverage Enhancer 8 oz | Fruit Punch         | BT  |
| SQW10701-SL | Beverage Enhancer 8 oz | Strawberry Lemonade | BT  |

#### D. Sqwincher Wide-Mouth Ready-to-Drink

Sqwincher 20oz. Wide Mouth is available in our 6 of our popular flavors, Grape, Orange, Fruit Punch, and Lemon-Lime. WideMouth bottles feature an extra-wide opening for easy product consumption and enjoyment.

| SKU       | Description                    | Flavor      | UOM   |
|-----------|--------------------------------|-------------|-------|
| SQW030530 | Sqwincher RTD 20 oz wide mouth | Mixed Berry | 24/CS |
| SQW030531 | Sqwincher RTD 20 oz wide mouth | Cool citrus | 24/CS |
| SQW030532 | Sqwincher RTD 20 oz wide mouth | Grape       | 24/CS |
| SQW030534 | Sqwincher RTD 20 oz wide mouth | Orange      | 24/CS |
| SQW030535 | Sqwincher RTD 20 oz wide mouth | Fruit punch | 24/CS |
| SQW030538 | Sqwincher RTD 20 oz wide mouth | Lemon-lime  | 24/CS |





#### A. Medi-Lyte®

Medi-Lyte is an electrolyte replenishing tablet for fast relief of heat stress, fatigue and muscle cramping. Active ingredients: calcium phosphate 18mg, magnesium carbonate 9mg and potassium chloride 40mg.

|             | •                                 |     |
|-------------|-----------------------------------|-----|
| SKU         | Description                       | UOM |
| 4768-030-33 | Medilyte tablets 2 x 50; 24 BX/CS | CS  |
| 4768-030-13 | Medilyte tablets 2 x 250          | BX  |

B





#### **B. Dehydration Urine Color Chart**

This Dehydration Urine Color Chart will help you use your urine color as an indicator of your level of dehydration and what actions you should take to help return your body back to a normal level of hydration.

| SKU          | Description                                    | UOM |
|--------------|------------------------------------------------|-----|
| NATMCU-50823 | Dehydration Urine Color Chart, 10 x 14 plastic | EA  |

#### C. Generic Temperature Card

Contains tips for staying hydrated, work/rest times based on extreme temperatures and chart for recognizing the signs, symptoms, and treatment for different levels of overheated exposure. Stock item and available for quick shipping (subject to availability).

|          | , , , , , , , , , , , , , , ,       |     |
|----------|-------------------------------------|-----|
| SKU      | Description                         | UOM |
| HWHAG-01 | Heat aware generic temperature card | EA  |





D

#### D. Heat Stress Safety Awareness Poster

Reinforce & strengthen your company's safety message with a daily visual in key areas.

| SKU      | Description                         | UOM |
|----------|-------------------------------------|-----|
| AFPST728 | Heat Stress Safety Awareness Poster | EA  |

#### E. Water Cooler Sealing Tape

The label warns against dipping contents from the cooler, and provides spaces for documenting contents (if other than potable water), date prepared, time prepared, paperers's initials, and owner's name.

| SKU     | Description               | UOM |
|---------|---------------------------|-----|
| SGCTAPE | Water cooler sealing tape | EA  |









#### A. Ergodyne® SHAX™ Utility Tent

10' x 10' (3m x 3m) foot-print, peak height of 14' (3.35m). Rugged 300D Polyester shell with PU & UV treatments. Double vented top for maximum air flow. Weight of less than 50 pounds. Convenient wheel bag for easy storage and transport. ABS plastic sliders for convenient height adjustment. Heavy-duty ground stakes and ropes included. Optional detachable side walls. Meets CPAI-84 flame resistance code. Reflective accent for higher visibility

| SKU     | Description                             | UOM |
|---------|-----------------------------------------|-----|
| ERG6000 | Tent pop-up utility 10' x 10'. Peak 14' | EA  |

#### B. Ergodyne® SHAX™ Lightweight Tent

10' x 10' (3m x 3m) foot-print, peak height of 14' (3.35m). 210D Polyester top with PU coating. Hammer tone steel frame. Pull pin sliders for convenient height adjustment between 10' - 14' (3.05m - 4.27m). Features eeinforced corners and wheeled storage bag. Meets CPAI-84 flame resistance code

| marino rootot   | name redictance educ                    |     |  |
|-----------------|-----------------------------------------|-----|--|
| SKU Description |                                         | UOM |  |
| FRG6010         | Tent Lightweight 10' x 10' Peak 10'-14' | FΔ  |  |





#### C. Ergodyne® SHAX™ Lightweight Industrial Umbrella

Size: 84" (2.1m) diameter. 300D Polyester Shell with PU and UV coatings. Meets CPAI-84 flame resistance code. Powder coated tenacious steel pole & ribs. Tilt mechanism for full sun protection. Vented top for maximum airflow. Four different height options with peak height of 92" (2.3m). Includes over-the-shoulder, oversized storage bag with convenient pocket & ground spike

| SKU     | Description                       | UOM |
|---------|-----------------------------------|-----|
| ERG6100 | Lightweight Industrial Umbrella   | EA  |
| ERG6190 | Umbrella Stand                    | EA  |
| ERG6191 | Umbrella Replacement Ground Spike | EA  |

#### D. Twister™ OSHA Oscillating Pedestal Fans

The Twister™ OSHA Oscillating Pedestal Fans feature all metal oscillating gears for long life and durability. Guards are zinc plated and powder coated for superior corrosion resistance. It also features 90° of total oscillation, cooling up to 4000 square feet, a 2-Speed, 1/2 hp TEAO 115V motor with 10 foot cord, 24" 5400/4900 CFM, 30" 9600/8500 CFM and 2-Year warranty.

| SKU          | Description                                | UOM |
|--------------|--------------------------------------------|-----|
| THDW24BPB    | Twister™ OSHA 24" Oscillating Pedestal Fan | EA  |
| THDTW30BPB   | Twister™ OSHA 30" Oscillating Pedestal Fan | EA  |
| THDWHEELKIT2 | Wheel Kit for 30" Oscillating Pedestal Fan | EA  |





#### E. Versa-Kool® Drum Fans

The Versa-Kool<sup>®</sup> Drum Fans feature a high density polyethylene housing for superior impact and rust resistance and a heavy duty galvanized steel carriage for ultimate durability. It also features stacking tabs for storage and transportation, OSHA compliant guards, a single-speed, 1/2 hp, direct drive 115 volt motor, 11,700 CFM and 2-Year warranty.

| SKU         | Description              | UOM |
|-------------|--------------------------|-----|
| THDVKM36B0  | Versa-Kool® 36" Drum Fan | EA  |
| THDVKM422B0 | Versa-Kool® 42" Drum Fan | EA  |



#### **Area Safety**

#### A. Sprayon® Insect Repellent II

Effectively repels mosquitoes, chiggers, ticks, deer flies, stable flies, black flies, gnats and fleas; also protects against Lyme disease. Does not contain R-11, EPA-registered.

| SKU       | Description                      | UOM |
|-----------|----------------------------------|-----|
| SPRS00856 | Insect repellent II 6 oz Net Wt. | EA  |

B







#### B. Sprayon® Blast' Em™ Wasp & Hornet Killer

This F2 rated insecticide contains a high amount of petroleum distillates for the best knockdown and kill rate. Kills wasps, hornets, yellow jackets, flies, mosquitoes and flying moths. Residual deposit will kill returning wasps and hornets (Read label for proper indoor application). Will not harm most plastics, including Noryl, ABS and Lexan. 98% knockdown, 100% kill within 24 hours. Dielectric strength: 33,000 volts Sprays up to 20 feet, EPA-Registered.

| SKU       | Description                                 | UOM |
|-----------|---------------------------------------------|-----|
| SPRS00857 | Blast' Em Wasp & Hornet Killer 12 oz Net Wt | EA  |

#### C. Bug X Free™ Insect Repellent

With the ongoing threat of insect transmitted diseases like West-Nile Virus, Lime Disease and Malaria there is finally an industrial DEET FREE insect repellent that works.

Bug X FREE has the natural ingredient "Geraniol" (derived from geraniums) and is an all natural insect repellent effective against mosquitoes, ticks, chiggers, fleas, gnats, red bugs, no-see-ums, sand fleas, biting flies, stable flies, and black flies.

| arro, barra nodo, blarig moo, blabio moo, arra black moo. |                                                          |        |
|-----------------------------------------------------------|----------------------------------------------------------|--------|
| SKU                                                       | Description                                              | UOM    |
| SUNX12842                                                 | Bug X Free natural insect repellent towelettes 100/CS    | 100/CS |
| SUNX12844                                                 | Bug X Free natural insect repellent towelettes 50/BX     | 50/BX  |
| SUNX12850                                                 | Bug X Free natural insect repellent 2 ounce spray bottle | EA     |
| SUNX12851                                                 | Bug X Free natural insect repellent 4 ounce spray bottle | EA     |
| SUNX12856                                                 | Bug X Free natural insect repellent 8 ounce spray bottle | EA     |
| SUNX12744                                                 | Bug X Free natural insect repellent wrist band           | EA     |









#### D. Bug X 30™ Insect Repellent

BugX30 repels mosquitoes, ticks, fleas, chiggers, black flies, sand flies and deerflies. If bugs are a problem where you work, you need BugX! Towelette allows easy, uniform application, especially to the face area. Contains 30% active DEET. Licensed for sale, according to EPA regulations, in all 50 states. Dispenser of 25.

| SKU       | Description                                          | UOM    |
|-----------|------------------------------------------------------|--------|
| SUNX12642 | BugX30 towelette bulk packed                         | 100/BX |
| SUNX12640 | BugX30 towelette clam shell dispenser chip board box | 25/BX  |

#### E. OFF! ® Insect Repellent

Available in our famous orange can, has remained one of the most popular repellents in the United States for over 40 years. Ideal for the entire family and is now available in fresh scent. This medium-strength repellent provides protection from mosquitoes, gnats, deer flies, sand flies, stable flies, black flies, ticks, chiggers and fleas. OFF! Insect Repellent contains 15% DEET and because it resists perspiration, it's a perfect choice for use at family activities like picnics, gardening, walks in the woods, and other activities. Deep Woods OFF! Contains 25% DEET.

| SKU        | Description              | UOM |
|------------|--------------------------|-----|
| SCJ01813   | OFF! 6 oz can            | EA  |
| SCJ01842-8 | Deep Woods OFF! 6 oz can | EA  |





#### **Area Safety**





#### A. Sunscreen

SunX sunscreen is a fully FDA compliant and tested sunscreen with the most sought after features. First it has an SPF of 30+, which offers you 97% protection from harmful UV rays. SunX sunscreen also vanishes quickly and bonds well to the skin leaving behind no mess. Ingredients include Aloe Vera gel and Vitamin E. Passed lineman's glove testing, Type 1 Class 2 ANSI/ASTM D120.

| SKU       | Description                                           | UOM |
|-----------|-------------------------------------------------------|-----|
| SUNX71661 | Sunscreen 2 oz spray                                  | EA  |
| SUNX71662 | Sunscreen 2 oz lotion bottle                          | EA  |
| SUNX71664 | Sunscreen 4 oz lotion bottle                          | EA  |
| SUNX91661 | Sunscreen multipurpose pouch with dry towelette 50/bx | BX  |

#### **B. Ivy X Pre-Contact Solution**

Apply before being exposed to poison ivy, poison oak or sumac. Product goes on easy and dries quickly, almost unnoticeable. No sticky, greasy or clay-like residue. Washes off with soap and water.

| and maton | and maton                                                  |       |  |
|-----------|------------------------------------------------------------|-------|--|
| SKU       | Description                                                | UOM   |  |
| SUNX83640 | Pre-contact towelettes clam shell dispenser chip board box | 25/BX |  |
| SUNX83666 | Pre-contact solution 4 oz                                  | EA    |  |
| SUNX83661 | Pre-contact spray 4 oz                                     | EA    |  |





#### C. Ivy X Post-Contact Cleanser

Use this product after exposure to poisonous plants to remove their oils. Cleanser has little or no odor, is gentle to the skin and contains moisturizers to keep skin soft.

| SKU       | Description                                                 | UOM   |
|-----------|-------------------------------------------------------------|-------|
| SUNX84640 | Post-contact towelettes clam shell dispenser chip board box | 25/BX |
| SUNX84664 | Post-contact cleanser 4 oz bottle                           | EA    |

#### **D. Itch Relief Spray**

Economical 2 oz. spray. External analgesic that provides temporary relief for insect bites, minor rashes due to poison ivy, oak, & sumac. Maximum strength formula.

| SKU      | Description             | UOM |
|----------|-------------------------|-----|
| WJAI2-24 | Itch relief spray 2 oz. | EA  |





Ε

#### E. Benadryl®

For the temporary relief of pain and itching associated with insect bites, sunburn, minor cuts, minor burns, minor skin irritations, scrapes and rashes due to poison ivy, poison oak and poison sumac. Dries the oozing and weeping of poison ivy, poison oak and poison sumac.

| SKU          | Description                                  | UOM |
|--------------|----------------------------------------------|-----|
| 1254-7171-67 | Benadryl Maximum Strength 2% cream 1 oz tube | EA  |
| 0071-9501-15 | Benadryl Maximum Strength 2% spray 2 oz      | EA  |




#### A. Navicade Post & Base

The Navicade has a unique handle design with molded-in holes for mounting light and ropes. It can be used to rope work area. The snug fitting bases will not be knocked over by a car traveling down the roadway. Navicade is designed for easy placement and pick-up from a truck bed. Stackable for easy transportation or storage and is made of durable low-density polyethylene. Federal Highway Administration Approved, NCHRP 350 Compliant.

| _           | · · · · · · · · · · · · · · · · · · ·  |     |
|-------------|----------------------------------------|-----|
| SKU         | Description                            | UOM |
| PLC650R104H | Navicade Post with 4" x 4" HIP stripes | EA  |
| PLC650RB30  | Navicade Post 30# base                 | EA  |





#### **B. 2" Plastic Chain**

Durable, strong and lightweight, this attractive plastic chain is intended for decorative purposes only. Unlimited life expectancy for use indoor and temporary lifespan in outdoor applications. This easy to use brightly colored chain adds to its popularity for crowd control applications. Supplied as 2" (link size). Not intended to support heavy objects; must not be used where a break might cause damage or injury.

| SKU          | Description      | Length | Color  | UOM |
|--------------|------------------|--------|--------|-----|
| MR50001-100  | Plastic chain 2" | 100 FT | White  | BX  |
| MR50001-500  | Plastic chain 2" | 500 FT | White  | BX  |
| MR50002-100  | Plastic chain 2" | 100 FT | Yellow | BX  |
| MR50002-500  | Plastic chain 2" | 500 FT | Yellow | BX  |
| MR50005-100  | Plastic chain 2" | 100 FT | Red    | BX  |
| MR50005-500  | Plastic chain 2" | 500 FT | Red    | BX  |
| MR500017-100 | Plastic chain 2" | 100 FT | Orange | BX  |
| MR500017-500 | Plastic chain 2" | 500 FT | Orange | BX  |

#### C. Barrier Tape

Rugged 2 mil polyethylene barrier tape in high-visibility yellow or red provides identification and protection for above and below ground hazardous areas and elements such as high voltage cables, telecommunication lines, etc. 3" x 1,000 ft roll.

| g,,         |                        |                              |        |     |
|-------------|------------------------|------------------------------|--------|-----|
| SKU         | Description            | Message                      | Color  | UOM |
| MSSDAN14998 | Barrier tape           | Danger                       | Red    | RL  |
| MSSCAU14995 | Barrier tape           | Caution                      | Yellow | RL  |
| MSSDAN15041 | Barrier tape           | Danger do not enter          | Red    | RL  |
| MSSCAU15123 | Barrier tape           | Caution men working overhead | Yellow | RL  |
| MSSCAU15002 | Barrier tape           | Caution do not enter         | Yellow | RL  |
| MSSDAN15129 | Barrier tape bilingual | Danger/peligro               | Red    | RL  |
| MSSCAU15036 | Barrier tape bilingual | Caution/cuidado              | Yellow | RL  |





#### D. FR Orange Safety Netting

Orange safety netting FR 4' x 150' rolls with UV stabilization.

| SKU      | Description              | UOM |
|----------|--------------------------|-----|
| VADVDN30 | Orange Safety Netting FR | RL  |



37





#### A. Surveyor Class 2 Breakaway Safety Vest

The SV46 Surveyor Class 2 Breakaway Safety Vest has Zip-N-Rip™ closure at shoulders, sides and front zipper closure that breakaway when tugged with moderate force. Excellent choice for extreme work environments around moving machinery and equipment to prevent pulling workers into hazards. Contrast trim combinations make workers much more noticeable in low light and broad daylight conditions. This vest features an upper split pad/pencil, upper radio/phone, 2 each lower flap covered, 2 large deep open inside, 1 inside flashlight and mic tab on both shoulders. 3rd Party Certified – Meets ANSI/ISEA 107-2010 standards.

| SKU    | Description                                           | Color  | Size | UOM |
|--------|-------------------------------------------------------|--------|------|-----|
| MSV46G | Surveyor class 2 breakaway safety vest, tri-tone tape | Lime   | M-5X | EA  |
| MSV460 | Surveyor class 2 breakaway safety vest, tri-tone tape | Orange | M-5X | EA  |
| MSV2Z0 | Economy Class 2 with zipper closure, silver tape      | Orange | M-5X | EA  |
| MSV2ZG | Economy Class 2 with zipper closure, silver tape      | Lime   | M-5X | EA  |
| MSV20M | Economy Class 2 with hook and loop, silver tape       | Orange | M-5X | EA  |
| MSV2GM | Economy Class 2 with hook and loop, silver tape       | Lime   | M-5X | EA  |
| MSV25L | Heavy Duty Surveyor Class 2 vest, silver tape         | Lime   | S-5X | EA  |
| MSV250 | Heavy Duty Surveyor Class 2 yest, silver tape         | Orange | S-5X | EA  |

#### B. Hi-Vis Short Sleeve T-Shirts Class 2

This class 2 safety T-shirt with Moisture Wicking Mesh is made with an arid Birdseye Mesh allowing for maximum breathability, without compromising durability. The stripes are adhered by heat transfer rather that sewn on, making the safety T-Shirt wear much more like a regular T-Shirt. The wicking properties improve hot weather comfort, making it feel much cooler. The front pocket does not include reflective material to allow for corporate imprints.

| · '       |                                         | ' '  |     |
|-----------|-----------------------------------------|------|-----|
| SKU       | Description                             | Size | UOM |
| MST112PGS | T-Shirt class 2 short sleeve lime green | M-5X | EA  |
| MST112POS | T-Shirt class 2 short sleeve orange     | M-5X | EA  |





#### C. Short Sleeve Polo Class 2 Hi-Viz

This safety Polo is made with an arid Birdseye Mesh allowing for maximum breathability, without compromising durability. The stripes are adhered by heat transfer rather than sewn on, making the safety Polo extremely comfortable. The wicking properties improve hot weather comfort making it feel much cooler. The front pocket does not include reflective material to allow for corporate imprints. 3rd Party Certified – Meets ANSI/ISEA 107-2010 Standards.

| SKU       | Description                      | Color  | Size | UOM |
|-----------|----------------------------------|--------|------|-----|
| MSCST122G | Short sleeve polo class 2 hi-viz | Lime   | M-5X | EA  |
| MSCST1220 | Short sleeve note class 2 hi-viz | Orange | M-5Y | FΔ  |



#### D. GloWear® Class Headwear Hi-Vis Baseball Cap

Mesh venting and reflective trim. ANSI-certified 150D oxford polyester and .25" Level 2 ANSI-certified tape.

| SKU       | Description                | UOM |
|-----------|----------------------------|-----|
| ERG8930LI | Baseball Cap Hi-Vis Lime   | EA  |
| ERG89300R | Baseball Cap Hi-Vis Orange | EA  |





#### In House Customization

#### **Direct Embroidery**

Embroider text directly on a garment. This option is most often used for names, titles, accredits, etc. and can be done easily without the need for digitization.

#### **Reflective Tape**

Adding reflective striping to your uniform can make a lifesaving difference. Select from the many trim widths, colors and placements to make your enhancements have the highest impact. These distinctive stripings can be added to most garments. Flame-resistant striping is also available. The garments and striping you select should depend on the end use requirements.

#### Stock Emblems

The possibilities are endless! Whether you choose from one of the emblems displayed here or supply us with your own emblems, our sewing operators can apply almost any shape emblem to your garments at time of order. There is no charge to store your emblems at our warehouse. Emblems are kept in a secured area and are applied at time of order, giving you the flexibility to decorate garments with different combinations and placements of emblems. We can also assist you with the development and procurement of new emblems. Lead time for custom emblems is 6 to 8 weeks

#### **Eyewear**

#### **Imprinting**

- ▲ Minimum order quantity of 48.
- ▲ Imprinting available on the temple or lens, depending on the style.
- ▲ One (1) and two (2) colors available.
- ▲ Camera ready artwork required.
- A Not available for all styles. Please contact a Medsafe sales representative for additional details.

#### **Hard Hats**

#### **Imprinting**

- ▲ Minimum order quantity of 20.
- ▲ Imprinting available on the front, back, or sides.
- ▲ Up to 6 colors available in 8 hat locations.
- Camera ready artwork required.
- ▲ Not available for all styles. Please contact a Medsafe sales representative for additional details.

#### **Hi-Vis Vests**

#### **Imprinting**

- ▲ Minimum order quantity of 24.
- ▲ Screening available on the back and front (some styles).
- ▲ Up to four (4) colors available.
- ▲ Camera ready artwork required.
- ▲ Not available for all styles. Please contact a Medsafe sales representative for additional details.







#### **Corporate Office - LaPorte, TX**

4200 Underwood LaPorte, TX 77571 (P.O. Box 1025 Deer Park, TX 77536) Customer Support: 1-800-330-9240 Fax: 1-281-476-5394

Order Inquiries: sales@gosafe.com

#### **Marshall Office - Marshall, TX**

4101 W. Pinecrest Dr. (P.O. Box 1929) Marshall, TX 75670 (75671) Customer Support: 1-800-442-8839 Fax: 1-903-935-2117 Order Inquiries: sales@gosafe.com

#### **Oklahoma Office**

4432 S. 70th East Ave.
Tulsa, OK 74145
Customer Support: 1-888-622-8758
Fax: 1-918-622-8341
Order Inquiries: sales@gosafe.com

#### **Arkansas Office**

6500 Young Rd. Suite C Little Rock, AR 72209 Customer Support: 1-800-394-9026 Fax: 1-501-227-6455 Order Inquiries: sales@gosafe.com

#### **Louisiana Office**

39359 Airline Plaza Gonzales, LA 70737 Customer Support: 1-877-854-2178 Fax: 1-225-647-4520 Order Inquiries: sales@gosafe.com

#### **Service Center**

4200 Underwood (P.O. Box 1025) La Porte, TX 77571 Customer Support: 1-800-330-9240 Fax: 1-281-476-5394 Rental/Service Inquires: service@gosafe.com



Please stop by our facility at 4200 Underwood in LaPorte.
You can try on any of the items pictured in this catalog, and browse through our complete selection of safety equipment and supplies.



## Safety Begins With Us

Order Online at www.gosafe.com • Call Us at 800.330.9240







